

500

No.	CLASS	DATE BUILT	BUILDER	COST	ENGINE COMMENCED RUNNING	CYLINDERS			TRACTIVE POWER		
						POSITION	DIAMETER	STROKE	DATE	LBS.	DATE
500	J	1954.	Vulcan Foundry Ltd England. BUILDERS REG 1953 No 6046		19. 3. 54	Outside	20"	26"	3/54.	28,650 29,460	3/54

CONDEMNED

BROKEN U. ^{Boiler}

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS			JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS					
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
50'-8 3/4"	4'-1 1/16"	8	6 1/2"		7 1/2"		7 1/2"		7 1/2"		7 1/2"				4 1/2"	9"	4200	7	CC. 100	1/80	3/54		

NOTES	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE			
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.
Filled with:- M/S Ryke Subventer Header Smoke Deflectors Lubricators - Nathan 6 feed & No. 0. Detroit Hulsan Grate Air operated hotpan door Ajax fire door Electric Light. Ryke turbo generator Plain Bearings Staff Exchanger. SCRAP grate wheels. Plate frame. Plate Ryke Catcher. Coal safety valves.	57	7	0	9	12	0	-	-	-				66	19	0				45	16	0				112	15	0				1/65

501

No. 501	CLASS J	DATE BUILT 1954	BUILDER Kulson Foundry Ltd England	COST	ENGINE COMMENCED RUNNING 14.4.54.	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 4/54	LBS. 28,650 29,460

Boiler as per page 40607

CONDEMNED BROKEN UP 14/8/68 7085/RS 68/7085

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
										WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
										4200	7	CO. 161		4/54		

WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length
50' 8 3/4"	4' 7 3/16"	8	6 1/4"		7 1/2"		7 1/2"		7 1/2"						4 1/2"	9'

NOTES

Fitted With:-
M.L.S. Type Superheater Header
Smoke Deflectors
Lubricators. Nathan 6 Feed & No. 0. Detroit
Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke Wheels
Plate Frame
Plate Type Cowcatcher.
Coale Safety Valves.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE									WEIGHT OF TENDER									TOTAL WEIGHT OF ENGINE AND TENDER									DATE
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y												
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.				
57	7	0	9	12	0							66	19	0				45	16	0				112	15	0							3/65			

No. 501

J CLASS

1002-51

MILEAGE (Between Overhauls)		IN SHOPS FOR REPAIRS		NATURE OF REPAIRS EXECUTED	COST OF REPAIRS		WHERE REPAIRED		"C" FORM	
PERIOD	TRAIN	TOTAL	DATE IN		DATE OUT	LABOR £	MATERIAL £	DEPOT	NAME OF LEADING HAND ERECTOR	REGISTERED No.
14.4.54 TO 12.2.59		106,360	12.2.59	29.4.59						
TO										
29.4.59 TO 27.4.65		101,621	31.7.63	10.9.63						
TO			27.4.65	17.8.65						
17.8.65 TO 14.8.68		42,087								
TO			BROKEN UP. 14.8.68							
TO	TOTAL	250,068								
TO										
TO										
TO										
TO										
TO										
TO										
TO										
TO										
TO										
TO										
TO										
TO										
TO										
TO										
TO										
TO										
TO										
TO										
TO										
TO										
TO										

Re-tube & burn tubes
 Repair & replace
 + boiler back in
 RETUBE + A-E
 EXAM.

Bdgo. Mt.
 Ballarat N.M.

59-7676
 63-9909
 65-8695

BROKEN UP. 14.8.68

502

No. 502	CLASS J	DATE BUILT 1954	BUILDER <i>Vulcan Foundry Ltd England</i>	COST	ENGINE COMMENCED RUNNING 12.1.54.	CYLINDERS			TRACTIVE POWER	
						POSITION <i>Outside</i>	DIAMETER <i>20"</i>	STROKE <i>26"</i>	DATE <i>4/54</i>	LBS. 28550 29460

BULLOCKS 1953 No 6048

CONDEMNED BROKEN UP

28 8 68 Detach R568/7573

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS						JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS		
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
<i>50' 8 3/4</i>	<i>4' 7 3/16</i>	<i>8</i>	<i>64"</i>	<i>7 1/2'</i>	<i>7 1/2'</i>	<i>7 1/2'</i>	<i>7 1/2'</i>	<i>7 1/2'</i>	<i>7 1/2'</i>	<i>7 1/2'</i>	<i>7 1/2'</i>	<i>7 1/2'</i>	<i>7 1/2'</i>	<i>7 1/2'</i>	<i>4 1/2' 9</i>	<i>4200</i>	<i>7</i>	<i>CC 122</i>		<i>4/54</i>			

NOTES

Fitted With:-
M.L.S. Type Superheater Header
Smoke Deflectors
Lubricators. Nathan 6 Feed & No. 0. Detroit

Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke Wheels
Plate Frame
Plate Type Cowcatcher.
Coale Safety Valves.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE									WEIGHT OF TENDER									TOTAL WEIGHT OF ENGINE AND TENDER									DATE
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y												
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.							
<i>57</i>	<i>70</i>		<i>9</i>	<i>12</i>	<i>0</i>							<i>66</i>	<i>19</i>	<i>0</i>				<i>45</i>	<i>16</i>	<i>0</i>				<i>112</i>	<i>15</i>	<i>0</i>				<i>4/54</i>						
<i>57</i>	<i>7</i>	<i>-</i>	<i>9</i>	<i>12</i>	<i>-</i>							<i>66</i>	<i>19</i>	<i>-</i>				<i>45</i>	<i>16</i>	<i>-</i>				<i>112</i>	<i>15</i>	<i>-</i>				<i>1/65</i>						

No. 502

J CLASS

1002-51

MILEAGE (Between Overhauls)			IN SHOPS FOR REPAIRS		NATURE OF REPAIRS EXECUTED	COST OF REPAIRS		WHERE REPAIRED		"C" FORM			
PERIOD	TRAIN	TOTAL	DATE IN	DATE OUT		LABOR £	MATERIAL £	DEPOT	NAME OF LEADING HAND ERECTOR	REGISTERED No.	"C" FORM No.	YEAR	
12-4-54 TO 3-4-59		111,943	3-4-59	8-7-59	C exam, Boiler exam wire-fuge. All steam, external inspect pipe + retake ABCD exam Cookst. refra.			Bendigo Works Bendigo Works ✓ ✓					
5-7-59 TO 13-1-64	76,061	188,004	13-1-64	15-3-64							59-8441		
TO TO 18-3-64 TO 28-5-68		48,901	12-1-65	28-1-65							64-4049		
TO TO	TOTAL	236,905	BRUKEN UP. 28/8/68										

503

No.	CLASS	DATE BUILT	BUILDER	COST	ENGINE COMMENCED RUNNING	CYLINDERS			TRACTIVE POWER		
						POSITION	DIAMETER	STROKE	DATE	LBS.	DATE
503	J	1954	Vulcan Foundry Ltd. England		1. 4. 54	Outside	20"	26"	4/54	28,650 29,460	4/54

CONDEMNED BROKEN UP 11/9/68 2400000 R568/9999

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS										JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE			
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length										
50' 8 3/4"	47 3/16"	8	64"		7 1/2"		7 1/2"		7 1/2"							4200	7	CC. 163		4/54						

NOTES

Fitted With:-
M.L.S. Type Superheater Header
Smoke Deflectors
Lubricators. Nathan 6 Feed & No. 0. Detroit
Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke Wheels
Plate Frame
Plate Type Cowcatcher.
Coale Safety Valves.
Shunters Footsteps fitted.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE			
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.
57	7	0	9	2	0							66	19	0				45	13	0				112	15	0				2/66

504

No. 504	CLASS J	DATE BUILT 1954	BUILDER Vulcan Foundry Ltd. England	COST CONDEMNED	ENGINE COMMENCED RUNNING 25. 3. 54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20'	STROKE 26'	DATE 3/54	LBS. 28,650 29,460

Builder's Reg. No. 650

BROKEN UP 18/6/69 *Frederick Hill* RS 69/5109

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS												JOURNALS												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS		
WHEEL BASE			DIAM. OF DRIVING			No. COUPLED			BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Gals.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE		
50' 8 3/4			4' 7 3/16			8			6 1/4'		7 1/2		7 1/2		7 1/2						4 1/2		9		4200	7	CC. 104		3/54		

NOTES Fitted With:- M.L.S. Type Superheater Header Smoke Deflectors Lubricators. Nathan 6 Feed & No. 0. Detroit Heelson Grate Air operated Ash Pan door Ajax Firedoor Electric Light. Pyle turbo Generator Plain Bearings Staff Exchanger SCOA-P. Spoke Wheels Plate Frame Plate Type Cowcatcher. Coale Safety Valves.	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE					
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y								
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.
57	7	0	9	12	0							66	19	0				45	16					112	15	0							3/54

505

No. 505	CLASS J	DATE BUILT 1957.	BUILDER Vulcan Foundry Ltd. England	COST	ENGINE COMMENCED RUNNING 21. 5. 54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20 1/4"	STROKE 26"	DATE 2/57	LBS. 21,650 29,460 R568-2199

BUNDEB REG 1953 No. 6051

CONDENMED

BROKEN

UP. 12. 3. 65. 3/2/57

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS						JOURNALS						TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS						
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
50'-8 3/4"	4'-7 3/16"	8	6 1/2"		7 1/2"		7 1/2"		7 1/2"		7 1/2"		-		4 1/2" 9"		4200	7	C.C.	1 7/8" 7/8"	2/57		

NOTES Filled with:- M.L.S. Ryffe Superheater Header Smoke Deflectors Lubricator - Nathan 6 feed & No. 0. Detroit Hulson Crane Air operated ashpan door Apan fire door Electric Light: Pyle Turbo generator. Plain bearings Raff exchanger SCOLD-P stroke wheels Plate frame: Plate Ryffe sawcatcher Coal safety valves.	WEIGHT ON ENGINE WHEELS			WEIGHT OF ENGINE			WEIGHT OF TENDER			TOTAL WEIGHT OF ENGINE AND TENDER			DATE 5/52													
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY				ROADW'Y			EMPTY			ROADW'Y						
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.
57	7	0	9	12	0							66	19	0				45	16	0				112	15	0

No. 505

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD	TRAIN	TOTAL	IN SHOPS FOR REPAIRS		NATURE OF REPAIRS EXECUTED	COST OF REPAIRS		WHERE REPAIRED		"C" FORM	
			DATE IN	DATE OUT		LABOR £	MATERIAL £	DEPOT	NAME OF LEADING HAND ERECTOR	REGISTERED No.	"C" FORM No.
21-5-54 TO 18-11-59		110,706	18-11-59	29-1-60	Mrd H. Exam Boiler exam & tube			Dundigo North		60-2309	
29-1-60 TO 24-2-65	180,134	69,428	24-2-65	4-6-65	Re-tube ABCO exam			Ballant North		65-6103	
4-6-65 TO 15-3-68		33,601									
	TOTAL	213,735									
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											

BROKEN UP 15 (3) 68

506

No. 506	CLASS J	DATE BUILT 1952	BUILDER Vulcan Foundry Ltd England	COST CONDEMNED	ENGINE COMMENCED RUNNING 14. 5. 54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20 1/4"	STROKE 26"	DATE 2/52	LBS. 28,650 29,460

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

BROKEN UP 5. 6. 68 at Bendigo Mth. (RS 68/4786)

WHEELS			JOURNALS												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS			
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
50-84	4'-7 3/16"	8	6 1/2"		7 1/2"		7 1/2"		7 1/2"		7 1/2"					4200	7	c.c. 168	7/10	2/52			

NOTES	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE	
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y				
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.
<p>Fitted with:-</p> <p>M.H.S. type superheater header</p> <p>Synthetic deflector</p> <p>Lubricators - Nathan & fed & No. 1. Reheat</p> <p>Hudson brake.</p> <p>Air operated ashpan door</p> <p>Agax fire door</p> <p>Electric Light: Pyle turbo generator.</p> <p>Plain bearings</p> <p>Staff Exchanger</p> <p>S.C.M.P. spoke wheels</p> <p>Plate frame: Blake type coupler.</p> <p>Coale safety valves.</p>	57	7	0	9	11	0							66	19	0				45	16	0				112	15	0	12/65	

BROKEN UP 5. 6. 68 at Bendigo Mth. (RS 68/4786)

No.

506

J CLASS

1002-51

MILEAGE (Between Overhauls)

PERIOD	TRAIN	TOTAL	IN SHOPS FOR REPAIRS		NATURE OF REPAIRS EXECUTED	COST OF REPAIRS		WHERE REPAIRED		"C" FORM	
			DATE IN	DATE OUT		LABOR £	MATERIAL £	DEPOT	NAME OF LEADING HAND ERECTOR	REGISTERED No.	"C" FORM No.
14.5.54 TO 12.2.60 TO		108,428	12.2.60	14.4.60	Mod. A-F exam. BLN exam. & Rulch.			Bigo. North.		60-4559	
14.4.60 TO 29.7.65		94,134	9.11.64	20.11.64	ABCO exam			✓ ✓		64-11966	
24.11.65 TO 5.6.68 TO		28,112	29.7.65	24.11.65	Rulch, A-F exam			Balbark North		65-12742	
TO	Grand total	<u>230,674</u>									
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											

BROKEN UP ~~5~~ 6/68 at Bendigo North (RS 68/4786)

507

No. 507	CLASS J	DATE BUILT 1954	BUILDER Vulcan Foundry Ltd England	COST Solely	ENGINE COMMENCED RUNNING 26 5. 524	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 5/54	LBS. 28,650 29,460

BUILDERS REG 1453 No 6453

CONDENSED

*Rebuilt 7/2/59
RD 7/1/54*

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

OFF REG. 25-8-73

(Holds for proposal)

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
										WATER (Gallons)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
										4200	7	C.C. 169		5/54		

WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length
50' 8 3/4"	4' 7 3/16"	8	6 1/4"		7 1/2"		7 1/2"		7 1/2"		7 1/2"				4 1/2"	9"

NOTES

Fitted With:-
I.L.S. Type Superheater Header
Smoke Deflectors
Lubricators. Nathan 6 Feed & No. 0. Detroit
Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke Wheels
Plate Frame
Plate Type Cowcatcher.
Coale Safety Valves.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE									WEIGHT OF TENDER									TOTAL WEIGHT OF ENGINE AND TENDER									DATE
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
57	7	0	9	12	0							66	19	0				45	16	0				112	15	0										5/54

No.

507

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

26-5-54 TO 31-7-59

104,200

31-7-59

15-9-59

Mod. A & exam. }
Blv. exam. & re-tube }

Bdgo. Nth.
Ballarat Works
Receipt

59-10761

15-9-59 TO 29-10-64

190,843

86,643

29-10-64

26-2-65

ABCD exam
re-tube

9-12-70

4-2-71*

A & exam &
self on repairs

10-11-71

25-11-71*

Re-exam & re-pa.

* Nth Repairs effected locally as arranged Ynd Pilot work only

508

No. 508	CLASS J	DATE BUILT 1954	BUILDER Vulcan Foundry Co. England	COST	ENGINE COMMENCED RUNNING 21. 5. 54	CYLINDERS			TRACTIVE POWER		
						POSITION	DIAMETER	STROKE	DATE	LBS.	DATE
						<i>Outside</i>	<i>20 1/2"</i>	<i>26"</i>	<i>5/54</i>	<i>28,650</i>	<i>5/54</i>
										<i>29,460</i>	

Builders Rec 1953 No 6054

CONDEMNED **BROKEN**

UP 13. 8. 59 *Builder's Rec R569/6773*

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

TENDER CAPACITY												WESTINGHOUSE PUMP			INJECTORS												
WHEELS				JOURNALS								WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE									
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED		BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER											
				Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length										
<i>50. 8 3/4</i>	<i>4. 7 3/8</i>	<i>8</i>		<i>6 1/2</i>		<i>9 1/2</i>		<i>7 1/2</i>		<i>7 1/2</i>		<i>7 1/2</i>				<i>4 1/2</i>	<i>9</i>	<i>4,200 gals</i>	<i>4.7</i>	<i>CC 157</i>		<i>5/54</i>					

NOTES

Fitted With:-
M.L.S. Type Superheater Header
Smoke Deflectors
Lubricators. Nathan 6 Feed & No. 0. Detroit
Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke Wheels
Plate Frame
Plate Type Cowcatcher.
Coale Safety Valves.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y			
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
<i>57</i>	<i>7</i>	<i>0</i>	<i>9</i>	<i>12</i>	<i>0</i>							<i>66</i>	<i>19</i>	<i>0</i>				<i>45</i>	<i>16</i>	<i>0</i>				<i>112</i>	<i>15</i>	<i>0</i>	<i>1/56</i>

No.

508

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

21-5-54 TO 17-8-59

103,739.

17-8-59

1-10-59

mod AF exam.
BB exam. & rehub.

Bdgo. North

59-11727

1-10-59 TO 21-2-64

171,514

67,775

21-2-64

3-6-64

Retake, chud. spec.

Bratville

64-5782

TO

3-3-65

16-3-65

ABC exam

Beading North

65-3086

TO

16-7-65

17-12-65

L.H. cylinders

Newport

66-751

3-6-64 TO 13-8-69

43,360

BROKEN UP. 13 8 69 Edgworth

TO

Total

214,874

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

509

No. 509	CLASS J	DATE BUILT 1954	BUILDER Vulcan Foundry England	COST CONDAMNED BROKEN UP	ENGINE COMMENCED RUNNING 10. 5. 54 5. 11. 69	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 5/84	LBS. 28,650 29,460

Quotas Rec 1951 No 6055

Bridge # RS69/9630

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS												JOURNALS												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
WHEEL BASE			DIAM. OF DRIVING			No. COUPLED			BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE	
50' 8 3/4"			4' 7 3/16"			8			6 1/4"		7 1/2"		7 1/2"		7 1/2"		7 1/2"				4 1/2" 9"		4200	7	CC. 186		5/54			

NOTES

Fitted With:-
M.L.S. Type Superheater Header
Smoke Deflectors
Lubricators: Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels
Plate Frame & Plate type Cowcatcher
Coale Safety Valves.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE			WEIGHT OF TENDER			TOTAL WEIGHT OF ENGINE AND TENDER						DATE						
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y									
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
57	7	0	9	2	0							66	19	0				45	16	0				112	15	0	7/65

No. 509

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

10.5.54 TO 2.4.59
5.6.59 TO 25.3.65

89,620
89,297

2.4.59 5.6.59
25.3.65 2.7.65

Mod. A-E.
Bl-oxan stretcher
Re-hub
ABCC train

Bendigo N.H.
Ballarat N.H.

59-7835
65-7184

2.7.65 TO 5.11.69

28,016

BROKEN UP 5.11.69 ~~Ballarat~~

TOTAL

206,933

TO

510

No. 510	CLASS J	DATE BUILT 1954	BUILDER <i>Kulcan Machinery Ltd England</i>	COST CONDAMNED	ENGINE COMMENCED RUNNING 5. 5. 54.	CYLINDERS			TRACTIVE POWER	
						POSITION <i>Outside</i>	DIAMETER <i>20"</i>	STROKE <i>26"</i>	DATE <i>5/54</i>	LBS. 28,650 29,460

BUILDERS REG No 6056

BROKEN UP 20/12/68 at Newport RS 69-229

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
										WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
										<i>4200</i>	<i>7</i>	<i>CC 165</i>		<i>5/54</i>		
WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length
<i>50' 8 3/4</i>	<i>4' 7 3/16</i>	<i>8</i>	<i>6 3/4</i>		<i>7 1/2</i>		<i>7 1/2</i>		<i>7 1/2</i>		<i>7 1/2</i>				<i>4 1/2</i>	<i>9</i>

NOTES	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE									WEIGHT OF TENDER									TOTAL WEIGHT OF ENGINE AND TENDER						DATE																							
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y																																
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.																														
Fitted With:- M.L.S. Type Superheater Header Smoke Deflectors Lubricators: Nathan 6 Feed & No.0. Detroit. Heelson Grate Air operated Ash Pan door Ajax Firedoor Electric Light. Pyle turbo Generator Plain Bearings Staff Exchanger SCOA-P. Spoke wheels Plate Frame & Plate type Cowcatcher Coale Safety Valves.																														<i>57</i>	<i>70</i>		<i>9</i>	<i>120</i>								<i>66</i>	<i>190</i>				<i>45</i>	<i>160</i>				<i>112</i>	<i>150</i>				<i>5/54</i>

511

No. 511	CLASS J	DATE BUILT 1954	BUILDER Vulcan Foundry England	COST	ENGINE COMMENCED RUNNING 21. 6. 54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20 1/2"	STROKE 26"	DATE 6/54	LBS. 28650 29460

BUIDONES REC 1953 No 6057

CONDENMED
BROKEN UP. 4. 11. 54

70 280.14 RS 70/9309

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS						JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS		
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length							
50-8 1/2	4' 7 3/8	8	6 1/4		7 1/2		7 1/2		7 1/2		7 1/2				4 1/2	9'	4200	7	CE	177	6/54		

NOTES	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE																																			
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y																																						
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.	T.	C.	Q.																													
<p>Fitted With:- M.L.S. Type Superheater Header Smoke Deflectors Lubricators: Nathan 6 Feed & No.0. Detroit. Heelson Grate Air operated Ash Pan door Ajax Firedoor Electric Light. Pyle turbo Generator Plain Bearings Staff Exchanger SCOA-P. Spoke wheels Plate Frame & Plate type Cowcatcher Coale Safety Valves.</p>																																	57	7	0	9	12	0										66	19	0				45	16	0				112	15	0	6/54

No.

511

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

21-6-54 TO 15-9-59

104,709

15-9-59 30-10-59

mod. A-B exam,
Baker exam & retube
A B C exams
& retube

Bdgo. North

59-13147

30-10-59 TO 10-8-64

189,087

84,378

10-8-64 11-11-64

Bdgo. North

64-11903

TO

11-11-64 TO 4-11-70

34,295

BROKEN UP. 4. 11. 70 Bdgo. North

TO

TO

TOTAL 223,382

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

512

No. 512	CLASS J	DATE BUILT 1954	BUILDER Vulson Foundry Ltd England	COST	ENGINE COMMENCED RUNNING 2-6-54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 6/54	LBS. 28,650 29,460

BUILDERS REG 1953 No base **CONDENNER** OFF REG. 23-5-73 RS 73-4030

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

Sold to Alexander & Isabel Moberg Society Dated 13-2-75

WHEELS						JOURNALS						TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS						
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
50. 8 3/4	4. 7 3/8	8	6 1/2"		7 1/2"		7 1/2"		7 1/2"						4 1/2" 9"		4200	7	CC	15	6/54		

NOTES	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE									WEIGHT OF TENDER									TOTAL WEIGHT OF ENGINE AND TENDER									DATE			
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y									
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.
Fitted With:- M.L.S. Type Superheater Header Smoke Deflectors Lubricators: Nathan 6 Feed & No.0. Detroit. Heelson Grate Air operated Ash Pan door Ajax Firedoor Electric Light. Fyle turbo Generator Plain Bearings Staff Exchanger SCOA-P. Spoke wheels Plate Frame & Plate type Cowcatcher Coale Safety Valves.	57	7	0	9	12	0							66	19	0				45	16	0				112	15	0													6/54

No.

512

J CLASS

1002-51

MILEAGE (Between Overhauls)			IN SHOPS FOR REPAIRS		NATURE OF REPAIRS EXECUTED	COST OF REPAIRS		WHERE REPAIRED		"C" FORM	
PERIOD	TRAIN	TOTAL	DATE IN	DATE OUT		LABOR £	MATERIAL £	DEPOT	NAME OF LEADING HAND ERECTOR	REGISTERED No.	"C" FORM No.
2-6-54 TO TO	26-8-59	97,084	26-8-59	16-10-59	mod RE exam. Blv exam, & rehub & burn tyres			Bigo. Mh.		59-13146	
16-10-59 TO	4-3-64 168,228 208,522	71,144	4-3-64 19-3-65 22-1-69 13-9-70	7-7-64 6-4-65 21-1-69 2-10-70	Rehub, main internal steam pipe ABC exam. sill. and arch repairs LH valve repairs.			Dulverton Mh. Bristol Mh. Newport		64-7123 65-3882 69-2334	

513

No. 513	CLASS J	DATE BUILT 1954	BUILDER Kulcan Foundry Ltd England Builders Reg 1953 No 6059	COST	ENGINE COMMENCED RUNNING 18.6.54.	CYLINDERS			TRACTIVE POWER			
						POSITION	DIAMETER	STROKE	DATE	LBS.	DATE	
						Outside	20"	26"	6/54	28650 29,400	6/54	
FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.						TENDER CAPACITY			WESTINGHOUSE PUMP		INJECTORS	
BONDED						WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
						4200	7	CC	176	6/54		

WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length		
50.8 1/2	4.7 3/16	8	6 1/4		7 1/2		7 1/2		7 3/4		7 3/4				4 1/2	9"

NOTES	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y			
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
Fitted With:- M.L.S. Type Superheater Header Smoke Deflectors Lubricators: Nathan 6 Feed & No.0. Detroit. Heelson Grate Air operated Ash Pan door Ajax Firedoor Electric Light. Eyle turbo Generator Plain Bearings Staff Exchanger SCOA-P. Spoke wheels Plate Frame & Plate type Cowcatcher Coale Safety Valves.	57	7	0	9	12	0							66	19	0				45	16	0				112	15	0	4/66 6/54

No.

513

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF
REPAIRS
EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR
£MATERIAL
£

DEPOT

NAME OF LEADING
HAND ERECTORREGISTERED
No."C" FORM
No. YEAR

TO 5-6-63

143202

5-6-63

7-8-63

Rev. A.E. scan
relate, turn, spray

Dallard North

63-8836

TO

15-7-64

22-7-64

ABC scan

Bendigo Mt.

64-8482

TO

1-6-65

9-6-65

ABCD scan

Bendigo Mt.

65-6196

TO

4-3-66

4-4-66

Internal scan file

Dallard North

66-3870

TO

5-5-67

Newport

7-8-63 TO 20-9-68

63,480

BROKEN UP 20 (9) 18 1/2

TO

TO

TOTAL

206,682

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

514

No. 514	CLASS J	DATE BUILT 1954	BUILDER <i>Vulcan Foundry Ltd. England</i>	COST	ENGINE COMMENCED RUNNING 27. 5. 54	CYLINDERS			TRACTIVE POWER	
						POSITION <i>Inside</i>	DIAMETER <i>20"</i> <i>20 1/2"</i>	STROKE <i>26"</i>	DATE <i>5/54</i> <i>8/62</i>	LBS. 28650 <i>29460</i>

Builders Reg 1954 No 6660

CONDEMNED *BROKEN UP* *18 (3)* *70* *8570/2303*

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS										JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS				
WHEEL BASE			DIAM. OF DRIVING			No. COUPLED			BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
<i>50-8 3/4</i>			<i>4' 7 3/16"</i>			<i>8</i>			<i>6 1/4"</i>		<i>7 1/2"</i>		<i>7 1/2"</i>		<i>7 1/2"</i>						<i>4200</i>	<i>7</i>	<i>CC-47</i>		<i>5/54</i>				

NOTES

Fitted With:-
M.L.S. Type Superheater Header
Smoke Deflectors
Lubricators: Nathan 6 Feed & No.0. Detroit.

Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels
Plate Frame & Plate type Cowcatcher
Coale Safety Valves.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE									WEIGHT OF TENDER									TOTAL WEIGHT OF ENGINE AND TENDER									DATE			
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW/THY			EMPTY			ROADW/THY			EMPTY			ROADW/THY															
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	<i>5/54</i>
<i>57</i>	<i>7</i>	<i>0</i>	<i>9</i>	<i>12</i>	<i>0</i>										<i>66</i>	<i>19</i>	<i>0</i>				<i>45</i>	<i>16</i>	<i>0</i>				<i>112</i>	<i>15</i>	<i>0</i>										

515

No. 515	CLASS J	DATE BUILT 1954	BUILDER <i>Kulcan Foundry Ltd England BUILDERS REG No 6061</i>	COST	ENGINE COMMENCED RUNNING 10 6 54 CONDENMED	CYLINDERS			TRACTIVE POWER		
						POSITION <i>Outside</i>	DIAMETER <i>20 1/2"</i>	STROKE <i>26"</i>	DATE <i>6/54</i>	LBS. 28,650. 29,460	DATE <i>6/54</i>

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

CONDENMED		OFF REG.	29 MAY 1978	BROKEN UP	<i>1</i>	<i>1</i>	TENDER CAPACITY		WESTINGHOUSE PUMP		INJECTORS											
WHEELS		JOURNALS					WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE									
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER							
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length						
<i>50. 3 1/4</i>	<i>4. 7 3/16</i>	<i>8</i>	<i>6 1/4"</i>		<i>7 1/2"</i>		<i>7 1/2"</i>		<i>7 1/2"</i>						<i>4 1/2"</i>	<i>9"</i>	<i>4200</i>	<i>7</i>	<i>CC 1 1/4</i>	<i>6/54</i>		

NOTES

Fitted With:-
M.L.S. Type Superheater Header
Smoke Deflectors
Lubricators: Nathan 6 Feed. & No.0. Depruit.
Heelson Grate
Air operated Ash Pan Door.
Ajax Firedoor.
Electric Light. Pyle turbo Generator.
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels.
Plate Frame & Plate type cowcatcher
Coale Safety Valves.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE			
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
<i>57</i>	<i>70</i>		<i>9</i>	<i>120</i>								<i>66</i>	<i>190</i>		<i>45</i>	<i>160</i>		<i>112</i>	<i>150</i>								<i>1965</i>			
																											<i>6/54</i>			

Allocated to Seymour Loco Steam Preservation Group @ 1.88

No.

515

J CLASS

1002-51

MILEAGE (Between Overhauls)		IN SHOPS FOR REPAIRS		NATURE OF REPAIRS EXECUTED	COST OF REPAIRS		WHERE REPAIRED		"C" FORM		
PERIOD	TRAIN	DATE IN	DATE OUT		LABOR £	MATERIAL £	DEPOT	NAME OF LEADING HAND ERECTOR	REGISTERED No.	"C" FORM No.	YEAR
10-6-54 TO 10-3-60		108,790	10-3-60	24-6-60							
24-6-60 TO 27-7-64		57,714	27-7-64	8-10-64							
TO		47,822	13-9-65	6-10-65							
TO			17-5-72	6-6-72							
TO	2-14-526										
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											

Mr. A. L. Evans.
Internal steam pipe
ABCD steam pipe
ABCD steam
Dorley Test.

Randigo North.
Randigo North
Shrop.

60-7193
 64-1024
 65-10428
No. 1002-51

516

No. 516	CLASS J	DATE BUILT 1954	BUILDER Vulcan Foundry Ltd England	COST	ENGINE COMMENCED RUNNING 11. 6. 54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20 1/2"	STROKE 26"	DATE 6/54	LBS. 28,650 29,400

BUILDERS REG 1953 No 666

CONTAINED OFF REG.

~~RS 7~~ 23-5-73 RS 73-4030

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

Sold to The Diamond Valley Repaired on August 7-8-75
RS 73-2471 RS 75-4541

WHEELS			JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS					
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
			Diam	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length							
50. 8 1/2	4. 7 3/16	8	6 1/4"		7 1/2"		7 1/2"		7 1/2"								4200	7	CC	175	6/54		

NOTES <p>Fitted With:- M.L.S. type Superheater Header Smoke Deflectors Lubricators: Nathan 6 Feed & No.0. Detroit. Heelson Grate Air operated Ash pan door Ajax Firedoor Generator Electric Light. Pyle turbo GENNER Plain bearings Staff Exchanger SCOA-P. Spoke wheels. Plate Frame & Plate type Cowcatcher Coale Safety Valves.</p>	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE									WEIGHT OF TENDER									TOTAL WEIGHT OF ENGINE AND TENDER									DATE
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.				
	57	7	0	9	12	0							66	19	0				45	16	0				112	15	0					12/54 6/54					

No. **516**

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR
£

MATERIAL
£

DEPOT

NAME OF LEADING
HAND ERECTOR

REGISTERED
No.

"C" FORM
No. | YEAR

11-6-54 TO 15-3-60

109,605

15-7-60

3-6-60

Mod. AB exam.
Bulw exam & Rehdie.

Bendigo South.

60-6327

3-6-60 TO 28-9-65

87,003

28-9-65

2-12-65

Refit 4 ABC com

Bendigo North

65-12743

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

517

No. 517	CLASS J	DATE BUILT 1954	BUILDER Kulcan Foundry Ltd. England BUILDERS REG. No. 1063	COST	ENGINE COMMENCED RUNNING 3. 6. 54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 6/54	LBS. 28,650 29,460

CONDAMNED BROKEN UP 10/9/69 26000 R568/7800

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
												WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
												4200	7	CC	173	6/54		

WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length		
50' 8 3/4"	4' 7 3/8"	8	6 1/4"		7 1/2"		7 1/2"		7 1/2"						4 1/2"	9"

NOTES	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE									WEIGHT OF TENDER									TOTAL WEIGHT OF ENGINE AND TENDER									DATE
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y												
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.										
Fitted With:- M.L.S. type Superheater Header Smoke Reflectors Lubricators: Nathan 6 Feed & No.0. Detroit. Heelson Grate Air operated Ash pan door Ajax Firedoor Generator Electric Light. Pyle turbo GENERATOR Plain bearings Staff Exchanger SCOA-P. Spoke wheels. Plate Frame & Plate type Cowcatcher Coale Safety Valves.	57	7	0	9	12	0							66	19	0				45	16	0				112	15	0	6/54									
	58	5	0	9	19	0							68	4	0				45	16					114	0	0	7/64									

No.

517.

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

3.6.54 TO 1-3-60

114,165

1-3-60 20.5.60

Work A.C. made
C.B. exam &
retube.
Rents main engine
Steam pipes
Retube +
ABC exam

Boya V. Pak.
Newport
Bristol, Ark.

40-5668
64-4190
65-8191

TO
20.5.60 TO 4.5.65

80,914

24.2.64 22.4.64
4.5.65 21.7.65

TO
21.7.65 TO 10.9.69

33,943

BROKEN UP. 10.9.69 Newport

Total 229,022

518

No. 518	CLASS J	DATE BUILT 1954	BUILDER Kulcan Laundry Co. England Builder's Reg. 1951 No 6064	COST	ENGINE COMMENCED RUNNING 25. 6. 54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 6/54	LBS. 28,680 29,460

CONDENMED BROKEN UP 22 10 69 B90 N4 RS 69/9/269

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
												WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
												4200	7	CC172.		6/54		

WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length
50.8 3/4	4.7 3/16	8	6 3/4		7 1/2		7 1/2		7 1/2						4 1/2	9"

NOTES	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE	
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y				
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.
Fitted With:- M.L.S. type Superheater Header Smoke Deflectors Lubricators: Nathan 6 Feed & No.0. Detroit. Heelson Grate Air operated Ash pan door Ajax Firedoor Generator Electric Light. Pyle turbo GENER Plain bearings Staff Exchanger SCOA-P. Spoke wheels. Plate Frame & Plate type Cowcatcher Coale Safety Valves.	57	7	0	9	12	0							66	19	0				45	16	0				112	14	0	6/54	
	57	7	-	9	12	-							66	19	-				45	16	-				112	15	0	10/63	
	57	7	-	9	12	-							66	19	-				45	16	-				112	15	-	1/65	

519

No. 519	CLASS J	DATE BUILT 1954	BUILDER Vulcan Foundry England	COST BROKEN UP	ENGINE COMMENCED RUNNING 22-6-54 22-12-69	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 6/54	LBS. 28,650 29,460

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS										JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS		
WHEEL BASE			DIAM. OF DRIVING			No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
50-8 3/4			4-7 3/16			8	6 1/4		7 1/2		7 1/2		7 1/2		7 1/2		4 1/2 9"		4200	7	CC178		6/54				

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Reflectors
Lubricators: Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air operated Ash pan door
Ajax Firedoor Generator
Electric Light. Pyle turbo
Plain bearings
Staff Exchanger
SCOA-P. Spoke wheels.
Plate Frame & Plate type Cowcatcher
Coale Safety Valves.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE						
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW' THY			EMPTY			ROADW' THY			EMPTY			ROADW' THY									
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	6/54
57	7	0	9	12	0							66	19	0				4575	0					112	15	0							

No.

519

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR

MATERIAL

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

TO 30-4-64

103,526

103,526

23-1-64

30-4-64

A. G. & Co. retails.
from Jones
ABC + looking up.

Bellmont North
Bendigo NORTH

64-4626

TO

14-9-65

30-9-65

TO

30-9-65 TO 22-12-69

48,062

BROKEN UP 22

12 69

Newford

TO

TO

TO

TOTAL

151,588

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

520

No. 520	CLASS J	DATE BUILT 1954	BUILDER <i>Vulcan Foundry Ltd England.</i>	COST	ENGINE COMMENCED RUNNING 30. 6 54	CYLINDERS			TRACTIVE POWER											
						POSITION <i>Outside</i>	DIAMETER <i>20"</i>	STROKE <i>26"</i>	DATE <i>6/54</i>	LBS. 28,640 29,460	DATE <i>7/54</i>									
FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.						TENDER CAPACITY		WESTINGHOUSE PUMP		INJECTORS										
WHEELS						WATER (Galls.) 4200		COAL (Tons) 7		STEAM (Diam.) CC 180.		AIR (Diam.) 6/54		DATE						
JOURNALS						BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length
<i>50-8 3/4</i>	<i>4-7 3/16</i>	8	<i>6 1/4</i>		<i>7 1/2</i>		<i>7 1/2</i>		<i>7 1/2</i>		<i>7 1/2</i>		<i>4 1/2</i>		<i>7</i>		<i>4 1/2</i>		<i>7</i>	

CONDEMNED

BROKEN UP

18 1/2

71

changed

R571/2490

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke reflectors
Lubricators: Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air operated Ash pan door
Ajax Firedoor Generator
Electric Light. Pyle turbo sander
Plain bearings
Staff Exchanger
SCOA-P. Spoke wheels.
Plate Frame & Plate type Cowcatcher
Coals Safety Valves.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE									WEIGHT OF TENDER									TOTAL WEIGHT OF ENGINE AND TENDER									DATE
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y												
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.							
<i>57</i>	<i>7</i>	<i>0</i>	<i>9</i>	<i>12</i>	<i>0</i>							<i>66</i>	<i>19</i>	<i>0</i>				<i>45</i>	<i>16</i>	<i>0</i>				<i>112</i>	<i>15</i>	<i>0</i>				<i>6/54</i>						

No.

520

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR
£

MATERIAL
£

DEPOT

NAME OF LEADING
HAND ERECTOR

REGISTERED
No.

"C" FORM
No. YEAR

30-6-54 TO 5-10-61

-

116,616

12-12-61

2-4-62

A-D overhaul
both main rollers
Repaired both led
frames for Pilot

Ballouet St.
Newport

62-3878

TO
TO
TO
TO

2-4-62 TO 15-3-71

45,366

BROKEN UP 18' 3' 71' e/a

TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO

TOTAL

161,982

521

No. 521	CLASS J	DATE BUILT 1954	BUILDER <i>Vulcan Foundry Ltd England</i>	COST	ENGINE COMMENCED RUNNING 2.7.54	CYLINDERS			TRACTIVE POWER	
						POSITION <i>Outside</i>	DIAMETER <i>20 1/2"</i>	STROKE <i>26"</i>	DATE <i>3/54</i>	LBS. 28,650 <i>29,460</i>

BUILDERS REG 1953 No 6067

CONDEMNED

BROKEN UP 16.3 TO CHEST 8570/2203

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS			JOURNALS												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS			
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
<i>50' 8 3/4"</i>	<i>4' 7 3/16"</i>	<i>8</i>	<i>64'</i>		<i>7 1/2'</i>		<i>7 1/2'</i>		<i>7 1/2'</i>								<i>4200</i>	<i>7</i>	<i>CC. 18"</i>	<i>"</i>	<i>7/54</i>		

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Reflectors
Lubricators: Nathan 6 Feed & No. 0. Detroit.
Heelson Grate
Air operated Ash pan door
Ajax Firedoor **Generator**
Electric Light. Pyle turbo
Plain bearings
Staff Exchanger
SCOA-P. Spoke wheels.
Plate Frame & Plate type Cowcatcher
Coale Safety Valves.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y			
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
<i>57</i>	<i>7</i>	<i>0</i>	<i>9</i>	<i>12</i>	<i>0</i>							<i>66</i>	<i>19</i>	<i>-</i>	<i>45</i>	<i>16</i>	<i>0</i>	<i>112</i>	<i>15</i>	<i>-</i>				<i>112</i>	<i>15</i>	<i>-</i>	<i>7/54</i>
<i>57</i>	<i>7</i>	<i>-</i>	<i>9</i>	<i>12</i>	<i>-</i>							<i>66</i>	<i>19</i>	<i>-</i>	<i>45</i>	<i>16</i>	<i>-</i>	<i>112</i>	<i>15</i>	<i>-</i>				<i>112</i>	<i>15</i>	<i>-</i>	<i>12/55</i>

No.

521

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND RECTOR

REGISTERED No.

"C" FORM No. YEAR

2-7-54 TO 1-10-59
20-11-59 TO 13-1-64

70,430

68,433
138,863

1-10-59 20-11-59
13-1-64 26-3-64

mod A+E exam.
Blvexam. + retube
Re-tube
ABC exam
booklet repair

Bdgo. Wth.
Pentgerkath
✓ ✓
✓ ✓

59-11303.
64-4158
65-2028
65-12055

26-3-64 TO 16-3-70

55,012

BROKEN UP. 16 (3 70)

TOTAL 193,875

522

No. 522	CLASS J	DATE BUILT 1954	BUILDER <i>Vulcan Foundry Ltd. England</i>	COST	ENGINE COMMENCED RUNNING 15 7. 54	CYLINDERS			TRACTIVE POWER	
						POSITION <i>Outside</i>	DIAMETER 20$\frac{1}{2}$	STROKE 26"	DATE 7/54	LBS. 28650 29460

Builders Rec 1953 No 6068

CONDENSED BROKEN UP 1 6 70 c/w RS 20/4624

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
										WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
										4200	7	CC 183		7/54		

WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length
5' 8 $\frac{1}{4}$ "	4' 7 $\frac{3}{8}$ "	8	6 $\frac{1}{4}$		7 $\frac{1}{2}$		7 $\frac{1}{2}$		7 $\frac{1}{2}$		7 $\frac{1}{2}$				4 $\frac{1}{2}$	9'

NOTES	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE			
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.
Fitted With:- M.L.S. type Superheater Header Smoke Deflectors Lubricators : Nathan 6 Feed & No.0. Detroit. Heelson Grate Air Operated Ash Pan Door Ajax Firedoor Electric Light Pyle turbo Generator Plain Bearings Staff Exchanger SCOA-P. Spoke wheels Plate Frame & Platetype Cowcatcher Coale Safety Valves.	57	7	0	9	12	0							66	19	0				45	10	0				112	15	0				1/65 7/54

No.

522

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

15-7-54 TO 16-10-59

98,141.

16-10-59

9-12-59

Mod. A.E. exam.
Palmer steam valve
new types
RE-TUBE. ABCD. 6000.

Pitogo. Math.
BALLARAT NTH.

59-13148.

4-12-59 TO 10-6-65

65,761

10-6-65

2-11-65

2-11-65 TO 1-6-70

31,640

BROKEN UP. 1. 6. 70 CHA

TOTAL

195,542

523

No. 523	CLASS J	DATE BUILT 1954	BUILDER Vulcan Foundry England BUILDERS REG 1953 No 6069	COST	ENGINE COMMENCED RUNNING 12. 7. 54	CYLINDERS			TRACTIVE POWER	
						POSITION Inside	DIAMETER 20"	STROKE 26"	DATE 7/54	LBS. 28650 29460

CONDEMNED
BROKEN UP 17/11/67

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS										JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE			
			Diam	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length										
50-8 3/4	47 3/8	8	6 1/4		7 1/2		7 1/2		7 1/2		7 1/2				4 1/2	9"	4200	7	CC 184		7/54					

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators : Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air Operated Ash Pan Door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels
Plate Frame & Platetype Cowcatcher
Coale Safety Valves.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE									WEIGHT OF TENDER									TOTAL WEIGHT OF ENGINE AND TENDER									DATE
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y												
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.							
57	7	0	9	2	0							66	19	0				45	16	0				112	15	0				10/65						

524

No. 524	CLASS J	DATE BUILT 1954	BUILDER Vulcan Foundry Ltd England	COST CONDENSED	ENGINE COMMENCED RUNNING 19 7. 54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20'	STROKE 26'	DATE 7/54	LBS. 28,650 29,460

BUILDERS REG 1953 No 6070
Mc 65/131 Sold to Shire of Donald for display purposes
13-8-68 RS 68-6921

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

RS 67/7881

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
										WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
										4200	7	CC	185	7/54		

WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length
50 8 3/4	4-7 3/8	8	6 1/4		7 1/2		7 1/2		7 1/2		7 1/2				4 1/2	9'

NOTES	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE									WEIGHT OF TENDER									TOTAL WEIGHT OF ENGINE AND TENDER						DATE
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y									
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.				
Fitted With:- M.L.S. type Superheater Header Smoke Deflectors Lubricators : Nathan 6 Feed & No.0. Detroit. Heelson Grate Air Operated Ash Pan Door Ajax Firedoor Electric Light Pyle turbo Generator Plain Bearings Staff Exchanger SCOA-P. Spoke wheels Plate Frame & Platetype Cowcatcher Coale Safety Valves.	57	7	0	9	12	0							66	19	0								45	16	0				112	15	0	7/54		
	57	7	0	9	12	0								66	19	0							45	16	0				112	15	0	9/64		

525

No. 525	CLASS J	DATE BUILT 1954	BUILDER Vulcan Laundry Co England	COST FORN	ENGINE COMMENCED RUNNING 19. 7. 54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 7/54	LBS. 28650 29460

BUILDERS REC 1953 No 6071

RS 70-450

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

BROKEN UP 16 1 70 Bendigo

WHEELS		JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS						
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
50-8 3/4	47 3/16	8	6 1/4		7 1/2		7 1/2		7 1/2							42" 9"	4200	7	CE 186		7/54		

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators : Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air Operated Ash Pan Door
Ajax Firedoor
Electric Light.Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels
Plate Frame & Platetype Cowcatcher
Coale Safety Valves.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE			
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.
57	7	0	9	12	0							66	19	0				45	16	0				112	15	0				5/5

No. 525.

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

19-7-54 TO 15-7-59
28-8-59 TO 21-12-64
6-5-65 TO 16-1-70
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO
TO

154,937

TOTAL

95,169
59,768
4,332

198,259

15-7-59 28-8-59
21-12-64 6-5-65

BROKEN UP 16

AD. exam.
Order exam. & retube
P. 10/16
ABCO exam

Leeds & North
Bellona & North

59-10319
65-5234

526

No. 526	CLASS J	DATE BUILT 1954	BUILDER Kulcan Lammery Ltd England	COST UNDETERMINED	ENGINE COMMENCED RUNNING 23. 7. 54	CYLINDERS			TRACTION POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 7/54 8/60	LBS. 29650 29460

BUILDERS REG 1951 No 6072 Off Receipt 27-2-70 forwarded to Straker & Piller & Co Ltd RS 70-1696

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS						JOURNALS						TENDER CAPACITY		WESTINGHOUSE PUMP		INJECTORS							
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
50.8 3/4	4.7 3/16	8	6 1/4	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2								4200	7	CC187		7/54		

NOTES	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE				
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y							
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.	T.
Fitted With:- M.L.S. type Superheater Header Smoke Deflectors Lubricators : Nathan 6 Feed & No.0. Detroit. Heelson Grate Air Operated Ash Pan Door Ajax Firedoor Electric Light.Pyle turbo Generator Plain Bearings Staff Exchanger SCOA-P. Spoke wheels Plate Frame & Platetype Cowcatcher Coale Safety Valves.	57	7	0	9	12	0							66	19	0				45	15	0				112	15	0	465	7/54			

No.

526

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

23-7-54 TO 22-4-60
4-8-60 TO 19-11-64
TO
6-4-65 TO 27-2-70
TO

180,758

106,294

74,464

39,948

TOTAL

220,706

22-4-60

4-8-60

19-11-64

6-4-65

Mod HP main,
Boiler room + Reboiler.
Reboiler
ABCO exam

Off Register 27-2-70 off ~~at~~ *

Bondigo Nth.
Ballarat Stn

60-9296

65-4291

527

No. 527	CLASS J	DATE BUILT 1954	BUILDER Vulcan Foundry Ltd England BULLOCKS REG 1953 No 6078	COST CONDEMNED	ENGINE COMMENCED RUNNING 27. 7. 54 WIPEN UP 30/7/69	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20" 20 1/16"	STROKE 26"	DATE 7/54 5/62	LBS. 28,650 29,460

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS												JOURNALS												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE							
50. 8 1/2	4. 7 1/2	8	6 1/4'		7 1/2"		7 1/2"		7 1/2"						4 1/2"	9"	4200	7	CC	188	7/54									

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators : Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air Operated Ash Pan Door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels
Plate Frame & Platetype Cowcatcher
Coale Safety Valves.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE									
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y												
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.	T.	C.	Q.			
57	7	0	9	12	0							66	19	0				45	16	0				112	15	0										7/54

No.

527

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

27.7.54 TO 27.12.61

127,868

27.12.61

29.5.62

Abraham & White P-E exam.

Ballarat Sh.

62-5874

TO

23.7.64

30.7.64

ABC exam

Bendigo, UK

64-8485

TO

2.5.67

Newport

TO

TO

29.5.62 TO 30.7.69

81,319

BROKEN UP 30.7.69 OVA

TO

TO

TOTAL

209,187

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

528

No. 528	CLASS J	DATE BUILT 1954	BUILDER Vulcan Foundry Ltd England BUILDERS REG 1953 No 6074	COST	ENGINE COMMENCED RUNNING 28. 7. 54 BROKEN UP	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 7/54	LBS. 28,650 29,460

CONDEMNED

21.4.68 ~~21.4.68~~ RS 68/2876

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS						JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS		
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
50.84	47 1/2"	8	6 1/4"		7 1/2"		7 1/2"		7 1/2"						11 1/2"	9"	4200	7	CC	180	7/54		

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators; Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain bearings
Staff Exchanger
SCOA-P. Spoke wheels
Plate Frame & Plate type cowcatcher
Coale Safety Valves.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE						
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'YH			EMPTY			ROADW'YH			EMPTY			ROADW'YH									
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.	T.	C.	Q.
57	7	0	9	12	0							66	19	0				45	16	0				112	15	0							7/54

529

No. 529	CLASS J	DATE BUILT 1954	BUILDER Vulcan Foundry Ltd England	COST	ENGINE COMMENCED RUNNING 4. 8. 54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 8/54	LBS. 28,650 29,400

CONDENMED
BRUKEN UP. 29. 11. 54
BUILDERS REG 1953 No 6075
RS 65-10566

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
										WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
										4200	7	CC	190	8/54		

WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length		
50 8/4	4 7/16	8	6 1/4"		7 1/2"		7 1/2"		7 1/2"						4 1/2"	9"

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators; Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain bearings
Staff Exchanger
SCOA-P. Spoke wheels
Plate Frame & Plate type cowcatcher
Coale Safety Valves.
Skunkus Footstep

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y			
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
57	7	0	9	12	0				66	19	0				45	16	0				112	15	0				8/54

530

No. 530	CLASS J	DATE BUILT <i>1954</i>	BUILDER <i>Vulcan Foundry Ltd England</i>	COST CONDEMNED	ENGINE COMMENCED RUNNING <i>6. 8. 54</i>	CYLINDERS			TRACTIVE POWER	
						POSITION <i>Outside</i>	DIAMETER <i>20 1/2"</i>	STROKE <i>26"</i>	DATE <i>8/54</i>	LBS. 28,650 <i>29,460</i>

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

BROKEN UP 31 (10) 69 NPT.

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
										WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
										<i>4,100</i>	<i>1,500</i>	<i>CC</i>	<i>191</i>	<i>8/54</i>		

WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length
<i>50.8 1/4</i>	<i>41.7 1/8</i>	<i>8</i>	<i>6 1/4"</i>		<i>7 1/2"</i>		<i>7 1/2"</i>		<i>7 1/2"</i>						<i>4 1/2"</i>	<i>9"</i>

NOTES Fitted With:- M.L.S. type Superheater Header Smoke Deflectors Lubricators; Nathan 6 Feed & No.0. Detroit. Heelson Grate Air operated Ash Pan door Ajax Firedoor Electric Light. Pyle turbo Generator Plain bearings Staff Exchanger SCOA-P. Spoke wheels Plate Frame & Plate type cowcatcher Coale Safety Valves. <i>Oil Fired</i>	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE <i>7/64</i>			
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.
	<i>57</i>	<i>7</i>	<i>0</i>	<i>9</i>	<i>12</i>	<i>0</i>							<i>66</i>	<i>19</i>	<i>0</i>				<i>45</i>	<i>7</i>	<i>0</i>				<i>112</i>	<i>6</i>	<i>0</i>				

No.

530

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR

MATERIAL

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

6-8-54 to 6-11-59
18-12-59 to 22-4-64

146,584

80,095

66,494

6-11-59

18-12-59

22-4-64

23-7-64

Mod. A.K. Exam,
Bolivar, N.H.
178 C. Exam
friction roller

Pago, N.H.
Bret. N.H.

59-13475
64-7877

23-7-64 to 31-10-69

45,655

192,244

BROKEN UP 31 10 69

Newport.

531

No. 531	CLASS- J	DATE BUILT 1954	BUILDER <i>Vulcan Foundry Ltd England</i>	COST CONDENMED	ENGINE COMMENCED RUNNING 10. 8. 54	CYLINDERS			TRACTIVE POWER	
						POSITION <i>Outside</i>	DIAMETER 20"	STROKE 26"	DATE 8/54	LBS. 28,650 29,460

Business Rec 1953 No 6077

BROKEN UP 3 *70 2 1/2 1/2 RS 70 1787 1/2*

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

TENDER CAPACITY												WESTINGHOUSE PUMP			INJECTORS		
WATER (Galls.)				COAL (Tons)				STEAM (Diam.)		AIR (Diam.)		DATE		TYPE		DATE	
4100				1500				CC		192		8/54					

WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length
50. 9 1/4	4. 7 3/16	8	6 1/4'		7 1/2'		7 1/2'		7 1/2'						4 1/2'	9'

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators: Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels.
Plate Frame & Plate type Cowcatcher
Coale Safety Valves.

Oil Fired

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE			
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.
57	7	0	9	12	0							66	19	0				45	7	0				112	6	0				8/54
54	0	0	9	7	0							66	19					45	7					112	6	0				11/63
57	7	0	9	12	0							66	19					45	7					112	6					7/64

No. 531

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

10-8-54 TO 9-8-63
TO
TO
TO
TO

113,464

4-9-63 14-11-63
6-7-64 14-7-64
7-4-65 30-4-65

Mod. A-E exams
retake
ABCD exams
ABCE exam

Bral Mh.
Bdgo Mh.
✓ ✓

63-12723
64-8265
65-4561

14-11-63 TO 3-9-70

76,852

BROKEN UP 3 (9) 70 Bdgo Mh.

TOTAL

190,316

TO

532

No. 532	CLASS J	DATE BUILT 1954	BUILDER <i>Vulcan Foundry Ltd England BUILDERS REG 1953 No 6078</i>	COST	ENGINE COMMENCED RUNNING 7. 7. 54	CYLINDERS			TRACTIVE POWER	
						POSITION <i>Outside</i>	DIAMETER <i>20"</i> <i>20 1/16"</i>	STROKE <i>26"</i>	DATE <i>7/54</i> <i>1/62</i>	LBS. 28600 29460

CONDENNER BROKEN UP.

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS		
												WATER (Galls.)	OIL (Galls.)	GOAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
												4100	7	1500.	CC 182		7/54		
WHEELS			JOURNALS																
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER				
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length			
<i>50. 8 3/4"</i>	<i>4. 7 3/16"</i>	<i>8</i>	<i>64"</i>		<i>7 1/2"</i>		<i>7 1/2"</i>		<i>7 1/2"</i>						<i>4 1/2"</i>	<i>9"</i>			

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators; Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air operated Ash Pan door.
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain bearings
Staff Exchanger
SCOA-P. Spoke wheels
Plate Frame & Plate type cowcatcher
Coale Safety Valves.

OIL BURNER.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE			
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.
<i>57</i>	<i>7</i>	<i>0</i>	<i>9</i>	<i>12</i>	<i>0</i>							<i>66</i>	<i>19</i>	<i>0</i>				<i>45</i>	<i>7</i>	<i>0</i>				<i>112</i>	<i>6</i>	<i>0</i>				<i>7/54</i>

No.

533

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF
REPAIRS
EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR
£MATERIAL
£

DEPOT

NAME OF LEADING
HAND RECTORREGISTERED
No."C" FORM
No. YEAR

13-8-54 TO 13-5-60

101,968

13-5-60 29-8-60

Mod A-E exam,
Boiler exam. & Retube.

Bdgs. Ltd.

RS-60-10117

TO

7-10-64 6-11-64

ABCF exam

✓ ✓

64-11340

29-8-60 TO 9-9-65

81,342

9-9-65 7-12-65

Retube, ABCF exam

Buller's North

65-12560

TO

7-12-65 TO 11-6-69

33,611

BROKEN UP 11 (6) 69

TO

TO

TOTAL

216,921

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

534

No. 534	CLASS J	DATE BUILT 1954	BUILDER <i>Vulcan Foundry Ltd England</i>	COST CONDEMNED	ENGINE COMMENCED RUNNING 18. 8. 54	CYLINDERS			TRACTIVE POWER		
						POSITION	DIAMETER	STROKE	DATE	LBS.	DATE
						<i>Outside</i>	<i>20"</i>	<i>26"</i>	<i>8/54</i>	<i>28,650</i> <i>29460</i>	<i>8/54</i>
			<i>BUILDERS REG 1953 No 6080</i>								

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
										WATER (Galls.)	<i>COAL</i> Tons	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
										<i>4,100</i>	<i>1,500</i>	<i>CC</i>	<i>1 1/4"</i>	<i>8/54</i>		

WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length
<i>50.84</i>	<i>4.7 3/16</i>	<i>8</i>	<i>6 1/4</i>		<i>7 1/2</i>		<i>7 1/2</i>		<i>7 1/2</i>						<i>4 1/2</i>	<i>9"</i>

<p>NOTES</p> <p>Painted With:- M.L.S. type Superheater Header Smoke Deflectors Lubricators: Nathan 6 Feed & No.0. Detroit. Heelson Grate Air operated Ash Pan door Ajax Firedoor Electric Light.Pyle turbo Generator Plain Bearings Staff Exchanger SCOA-P. Spoke wheels Plate Frame & Plate type Cowcatcher Coale Safety Valves.</p> <p><i>Oil Burner</i></p>	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE			
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.
	<i>57</i>	<i>7</i>	<i>0</i>	<i>9</i>	<i>12</i>	<i>0</i>							<i>66</i>	<i>19</i>	<i>0</i>				<i>45</i>	<i>7</i>	<i>0</i>				<i>112</i>	<i>6</i>	<i>0</i>				

535

No. 535	CLASS J	DATE BUILT 1954	BUILDER Vulcan Foundry Ltd England BUILDERS REG - 1953 No 6081	COST	ENGINE COMMENCED RUNNING 20. 8. 54 CONDEMNED BROKEN UP. 13. 12. 67	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 8/54	LBS. 28650 29460

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS												JOURNALS												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
WHEEL BASE			DIAM. OF DRIVING			No. COUPLED			BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE	
50.84	4.7 1/2	8	6 1/4	7 1/2	7 1/2	7 1/2	7 1/2														4100	1500	CC	195	8/54					

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators; Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain bearings
Staff Exchanger
SCOA-P. Spoke wheels
Plate Frame & Plate type cowcatcher
Coale Safety Valves.

Oil Burner.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE			
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	7/6 8/55
57	70		9	12	0							66	19	0				45	7	0				112	6	0				8/54

536

No. 536	CLASS J	DATE BUILT 1954	BUILDER <i>Vulcan Foundry Ltd England</i>	COST CONDAMNED <i>Sold & delivered to City of Toledo 23-7-72 RS 72 5504</i>	ENGINE COMMENCED RUNNING 26.8.54	CYLINDERS			TRACTIVE POWER		
						POSITION <i>Outside</i>	DIAMETER <i>20"</i>	STROKE <i>26"</i>	DATE <i>8/54</i>	LBS. 28,650 29,460	DATE <i>8/54</i>

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD NO.

OFF REG. 23-7-72										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS					
										WATER (Galls.) <i>H. 100</i>	COAL (Tons) <i>1,500</i>	STEAM (Diam.) <i>CC</i>	AIR (Diam.) <i>196</i>	DATE <i>8/54</i>	TYPE	DATE				
WHEELS			JOURNALS																	
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER					
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length				
<i>50. 8 1/2</i>	<i>4. 7 3/8</i>	<i>8</i>	<i>6 1/4'</i>		<i>7 1/2"</i>		<i>7 1/2'</i>		<i>7 1/2'</i>						<i>4 1/2"</i>	<i>9"</i>				

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators: Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels
Plate Frame & Plate type Cowcatcher
Coale Safety Valves.

Oil Burner

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE			
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'YH			EMPTY			ROADW'YH			EMPTY			ROADW'YH						
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.
<i>57</i>	<i>7</i>	<i>0</i>	<i>9</i>	<i>12</i>	<i>0</i>							<i>66</i>	<i>19</i>	<i>0</i>				<i>45</i>	<i>7</i>	<i>0</i>				<i>112</i>	<i>6</i>	<i>0</i>				<i>8/54</i>
<i>57</i>	<i>10</i>	<i>0</i>	<i>9</i>	<i>12</i>	<i>0</i>							<i>67</i>	<i>20</i>	<i>0</i>				<i>45</i>	<i>7</i>	<i>0</i>				<i>112</i>	<i>9</i>	<i>0</i>				<i>10/63</i>

537

No. 537	CLASS J	DATE BUILT 1954	BUILDER <i>Vulcan Foundry Ltd England</i>	COST CONDAMNED	ENGINE COMMENCED RUNNING 27.8.54	CYLINDERS			TRACTIVE POWER		
			<i>Builders Reg 1953 No 6083</i>	BRUKEN UP 15.9.69	<i>15.9.69</i>	POSITION <i>Outside</i>	DIAMETER 20"	STROKE 26"	DATE 8/54	LBS. 28,650 29,460	DATE 8/54

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS										JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE			
<i>So. 8 1/2</i>	<i>4. 7 1/16</i>	8	Diam	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	4,100	1,500	CC	197	8/54					
			<i>6 1/4"</i>		<i>7 1/2"</i>		<i>7 1/2"</i>		<i>7 1/2"</i>																	

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators: Nathan 6 Feed & No.0. Detroit.

Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels.
Plate Frame & Plate type Cowcatcher
Coale Safety Valves.

Oil Fired

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE									
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY		ROADW'Y				EMPTY		ROADW'Y				EMPTY		ROADW'Y													
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
<i>57</i>	<i>70</i>		<i>9</i>	<i>120</i>								<i>66</i>	<i>190</i>					<i>45</i>	<i>70</i>					<i>112</i>	<i>60</i>								<i>8/54</i>			

538

No. 538	CLASS J	DATE BUILT 1954	BUILDER <i>Vulcan Foundry Ltd England BUILDERS REG 1953 No 6084</i>	COST	ENGINE COMMENCED RUNNING 1. 9. 54	CYLINDERS			TRACTION POWER	
						POSITION <i>Outside</i>	DIAMETER 20 1/2	STROKE 26"	DATE 9/54	LBS. 28,650 29,460

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

CONFIRMED OFF REG. 29 MAY 1978

BROKEN UP 7/1/78

Bendigo

WHEELS		JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS						
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
<i>50. 8 1/4</i>	<i>4. 7 1/8</i>	8	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	<i>4. 100</i>	<i>1. 500</i>	<i>CC 198</i>	<i>198</i>	9/54		

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators: Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels.
Plate frame & Plate type Cowcatcher
Coale Safety Valves.

Oil Fired.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY		ROADW'Y				EMPTY			ROADW'Y			EMPTY			ROADW'Y			
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
<i>57</i>	<i>7</i>	<i>0</i>	<i>9</i>	<i>12</i>	<i>0</i>							<i>66</i>	<i>19</i>	<i>0</i>				<i>45</i>	<i>7</i>	<i>0</i>				<i>112</i>	<i>6</i>	<i>0</i>	<i>9/54</i>

539

No.	CLASS	DATE BUILT	BUILDER	COST	ENGINE COMMENCED RUNNING	CYLINDERS			TRACTIVE POWER		
						POSITION	DIAMETER	STROKE	DATE	LBS.	DATE
539	J	1954	Vulcan Foundry Ltd England		3. 9. 54	Outside	20"	26"	9/54	28,650	9/54
BUILDERS REG. NO. 6085						CONDORNERD		OFF REG. 23-5-73 RS 73 4030		29,460	

RS 73 1587
Solved to VRI

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

Boiler & placed in temporary siding outside 22-5-74

WHEELS			JOURNALS												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS			
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
50. 8 1/2	4. 7 1/2	8	6 1/2		7 1/2		7 1/2		7 1/2						4 1/2	9"	4. 100	1. 500	CC	199	9/54		

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators: Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels.
Plate Frame & Plate type Cowcatcher
Coale Safety Valves.
Oil Fired

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE			
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.
57	7	0	9	12	0							66	19	0				45	7	0				112	6	0				9/54

539

No. 539

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR
L

MATERIAL
L

DEPOT

NAME OF LEADING
HAND ERECTOR

REGISTERED
No.

"C" FORM
No. YEAR

20-7-55 TO 21-7-62

93,635

10-7-62 19-9-62

Adjusted
R.L. Under Release
Boiler repairs
Repairs to wheels
for open car wheels

Ballarat Mth.

62-10007

27-11-69 23-12-69

✓ ✓

69-11079

*As per
20/5/71*

77,526

540

No. 540	CLASS J	DATE BUILT 1954	BUILDER Vulcan Foundry Ltd England	COST	ENGINE COMMENCED RUNNING 8.9.54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 9/54	LBS. 28,650 29,460

BUILDERS REG 1953 No 6086

CONDEMNED

BRUKEN

3 3 70
R570-185

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
												WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
												4.100	1.500	CC	200	9/54		

WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length
50. 8 1/2	4. 7 1/16	8	6 1/4		7 1/2		7 1/2		7 1/2						4 1/2	9'

NOTES Fitted With:- M.L.S. Type Superheater Header Smoke Deflectors Lubricators: Nathan 6 Feed. & No.0. Depruit. Heelson Grate Air operated Ash Pan Door. Ajax Firedoor. Electric Light. Pyle turbo Generator. Plain Bearings Staff Exchanger SCOA-P. Spoke wheels. Plate Frame & Plate type cowcatcher Coale Safety Valves. Oil Fired	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE 9/54
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'YH			EMPTY			ROADW'YH			EMPTY			ROADW'YH			
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
	57	7	0	9	12	0							66	19	0				45	7	0				112	6	0	

541

No. 541	CLASS J	DATE BUILT 1954	BUILDER <i>Vulcan Foundry Ltd England</i>	COST <i>c</i>	ENGINE COMMENCED RUNNING 13. 9. 54	CYLINDERS			TRACTIVE POWER		
						POSITION	DIAMETER	STROKE	DATE	LBS.	DATE
						<i>Outside</i>	<i>20"</i>	<i>26"</i>	<i>9/54</i>	<i>28,650</i>	<i>9/54</i>
										29,460	

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

Sold to J & B Rail Southampton 3-77
Ag 73-2348
8870-7287

WHEELS			JOURNALS												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS			
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
<i>50. 8 1/4</i>	<i>4. 7 3/8</i>	<i>8</i>	<i>6 1/4"</i>		<i>7 1/2"</i>		<i>7 1/2"</i>		<i>7 1/2"</i>						<i>4 1/2"</i>	<i>9"</i>	<i>4,100</i>	<i>1,500</i>	<i>CC</i>	<i>201</i>	<i>9/54</i>		
																	<i>4,300</i>						

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators: Nathan 6 Feed & No.0. Detroit.
Hecolson Grate
Air operated Ash Fan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels.
Plate Frame & Plate type Cowcatcher
Coale Safety Valves.

Oil fired.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE									
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y												
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	<i>9/54</i>
<i>5</i>	<i>7</i>	<i>0</i>	<i>9</i>	<i>12</i>	<i>0</i>							<i>66</i>	<i>19</i>	<i>0</i>				<i>45</i>	<i>7</i>	<i>0</i>				<i>112</i>	<i>6</i>	<i>0</i>							<i>9/54</i>			

SOLD FOR \$1600

No. 541

J CLASS

1002-51

541

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR
£

MATERIAL
£

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

13-9-54 TO 18-3-63

143081

5-4-63

28-6-63

Roll. A-E Exam

Ballarat M.H.

63-7155

TO

23-6-64

6-7-64

re-habe
ABC exam.

Peligo. M.H.

64-8266

TO

17-7-64

24-7-64

Roll. Exam
ham. sub. prod

✓

64-8266

TO

1-10-64

16-10-64

slur in life
smooth
repairs

Ballarat M.H.

64-10472

TO

15-6-65

30-6-65

ABCD exam
A.B. room

Peligo M.H.

65-6619

TO

7-11-69

17-12-69

Rolling gear repair

Ballarat M.H.

69-11077

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

542

No.	CLASS	DATE BUILT	BUILDER	COST	ENGINE COMMENCED RUNNING	CYLINDERS			TRACTIVE POWER		
						POSITION	DIAMETER	STROKE	DATE	LBS.	DATE
542	J	1954	Vulcan Foundry Ltd England. BUILDERS REG 1953 No 6088		14. 9. 54	Outside	20"	26"	9/54	28,650. 29,460	9/54

CONDEMNED

BROKEN UP

19 (6) 68 2/26/44 RS 68/5182

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS			JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS					
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	OIL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length							
50' 8 3/4	4. 7 1/2	8	6 1/4"		7 1/2"		7 1/2"		7 1/2"		7 1/2"		-		4 1/2"	9"	4100	1500	CC 202		9/54		
																	4200?						

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators: Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels.
Plate frame & Plate type Cowcatcher
Coale Safety Valves.

Oil Burner.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y			
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
57	7	0	9	12	0							66	19	0				45	7	0				112	6	0	9/54

No.

543.

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

16-9-54 TO 11-4-61

113,809

11-4-61

25-8-61

ABCD. exam.
BC. exam. & Re-kit
Steam engine
ABC exam
from spec

Bellarat Mth.

61-9465

TO

12-1-65

24-2-65

TO

27-7-65

12-8-65

TO

12-8-65 TO 21-1-70

93,570

BROKEN UP. 21-1-70

TO

TO

TO

TOTAL

207,379

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

544

No. 544	CLASS J	DATE BUILT 1954	BUILDER <i>Vulcan Foundry Ltd England</i>	COST	ENGINE COMMENCED RUNNING 21-9-54	CYLINDERS			TRACTIVE POWER		
			<i>Builders Reg 1953 No 6090</i>			POSITION	DIAMETER	STROKE	DATE	LBS.	DATE
						<i>Outside</i>	<i>20"</i>	<i>26"</i>	<i>9/54</i>	<i>28,650</i>	<i>9/54</i>
										<i>29,460</i>	

CONDENMED

BRUKEN UP

27/8 169 28014 RS69/7449

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS			JOURNALS												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS			
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	GOAL OIL (Ton)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
<i>50'8 1/2</i>	<i>4'7 1/2</i>	<i>8</i>	Diam	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	<i>4100</i>	<i>1500</i>	<i>CC 204</i>		<i>9/54</i>		

NOTES

Fitted With:-
M.C.S. type Superheater Header
Smoke Deflectors
Lubricators: Nathan 6 Feed & No.0. Detroit.

Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels
Plate Frame & Plate type Cowcatcher
Coale Safety Valves.

Oil fired

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE									
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'YH			EMPTY			ROADW'YH			EMPTY			ROADW'YH												
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
<i>57</i>	<i>7</i>	<i>0</i>	<i>9</i>	<i>12</i>	<i>0</i>							<i>66</i>	<i>19</i>	<i>0</i>				<i>45</i>	<i>7</i>	<i>0</i>				<i>112</i>	<i>6</i>	<i>0</i>							<i>9/54</i>			
<i>57</i>	<i>7</i>	<i>0</i>	<i>9</i>	<i>12</i>	<i>0</i>							<i>66</i>	<i>19</i>	<i>0</i>				<i>45</i>	<i>7</i>	<i>0</i>				<i>112</i>	<i>6</i>	<i>0</i>							<i>2/65</i>			

545

No. 545	CLASS J	DATE BUILT 1954	BUILDER Vulcan Foundry Ltd England BUILDERS REG 1953 No 6091	COST £	ENGINE COMMENCED RUNNING 24.9.54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 9/54	LBS. 28,650 29,460

CONDEMNED BROKEN UP 30.6.69 Zandipokh RS69/5382

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

TENDER CAPACITY										WESTINGHOUSE PUMP			INJECTORS	
WATER (Galls.)					OIL COAL (Tons)					STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
4,100					1,500					CC	205	9/54		

WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length
50.8 1/2	4.7 1/2	8	64"		7 1/2"		7 1/2"		7 1/2"						4 1/2"	9"

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators: Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light.Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels
Plate Frame & Plate type Cowcatcher
Coale Safety Valves.

Oil fired

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE						
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'HY			EMPTY			ROADW'HY			EMPTY			ROADW'HY									
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
57	7	0	9	12	0							66	19	0				45	7	0				112	6	0							9/54

546

No. 546	CLASS J	DATE BUILT 1954	BUILDER Yulcan Foundry Ltd England BUILDERS REG No 1692	COST	ENGINE COMMENCED RUNNING 30.9.54	CYLINDERS			TRACTIVE POWER		
						POSITION	DIAMETER	STROKE	DATE	LBS.	DATE
						Outside	20"	26"	9/54	28680 29460	9/54

CONDEMNED BROKEN

IP. 16. 7. 54. *Edwards* RS 69/6024

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS												JOURNALS												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS		
WHEEL BASE			DIAM. OF DRIVING			No. COUPLED			BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL/OIL (Tons/gall)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE		
50' 5 1/2"			4. 7 3/8"			8			6 1/2		7 1/2		7 1/2		7 1/2		7 1/2				4 1/2		9"		4100	1500	CC 206.		9/54		

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators: Nathan 6 Feed & No.0. Detroit.

Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light. Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels
Plate Frame & Plate type Cowcatcher
Coale Safety Valves.

Oil fired.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE						
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'YH			EMPTY			ROADW'YH			EMPTY			ROADW'YH									
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
57	7	0	9	12	0							66	19	0				15	7	0				112	6	0							9/54

No.

546

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

30-9-54 TO 30-6-61.

91,730

30-6-61

16-11-61

Blowdown & rehub

Ballarat North

61-12432.

TO

17-9-64

14-10-64

ABCE repairs

Ballarat North

64-10595

TO

16-11-61 TO 16-7-69

104,343

BROKEN UP 16.7.69

TO

TO

TOTAL

196,073

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

547

No. 547	CLASS J	DATE BUILT 1954.	BUILDER Vulcan Foundry Ltd England BUILDERS REG 1953 No 6098	COST £	ENGINE COMMENCED RUNNING 1. 10. 54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 10/54	LBS. 28650 29460

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS												JOURNALS												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE							
			Diam	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length														
50' 8 1/4"	4. 7 1/8"	8	6 1/2"		7 1/2"		7 1/2"		7 1/2"		7 1/2"				4 1/2"	9"	4100	1500.	CC 207		10/54									

NOTES

Fitted With:-
M.L.S. Type Superheater Header
Smoke Deflectors
Lubricators: Nathan 6 Feed. & No.0. Detroit.
Heelson Grate
Air operated Ash Pan Door.
Ajax Firedoor.
Electric Light. Pyle turbo Generator.
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels.
Plate Frame & Plate type cowcatcher
Coale Safety Valves.

Oil Fired.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE						
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y									
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.	T.	C.	Q.
57	7	0	9	12	0							66	19	0				115	7	0				112	6	0							4/5

No.

547

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

1-10-54 TO 12-4-61

104,844

12-4-61

24-7-61

ABC exam, Boiler exam & Refurb.

Ballarat Wks.

61-8406

TO

26-2-65

23-3-65

AKD exam, Repairs main engine

Pendigo Wks.

65-3881

TO

12-5-65

8-6-65

skan pipe

Ballarat Wks.

65-6483

TO

13-8-65

19-8-65

HEADER REPAIRS.

BALLARAT WKS.

TO

24-7-61 TO 17-7-68

105,485

BROKEN UP. 17.7.68 Telgo 44

TO

TO

TOTAL

210,329

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

548

No. 548	CLASS J	DATE BUILT 1954.	BUILDER Vulcan Foundry Ltd England BUILDERS REG 1953 No 6099	COST	ENGINE COMMENCED RUNNING 7.10.1954	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 10/54	LBS. 28,650 29,460

CONDEMNED BRKEN

30 7 69 3/4 RS 69/489

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
										WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
										4100	1500	CC 208		10/54		

WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length
50' 8 3/4"	4-7 1/8"	8	6 1/2'		7 1/2'		7 1/2'		7 1/2'		7 1/2"				4 1/2'	9'

<p>NOTES</p> <p>Fitted With:- M.L.S. Type Superheater Header Smoke Deflectors Lubricators: Nathan 6 Feed. & No.0. Detroit. Heelson Grate Air operated Ash Pan Door. Ajax Firedoor. Electric Light. Pyle turbo Generator. Plain Bearings Staff Exchanger SCOA-P. Spoke wheels. Plate Frame & Plate type cowcatcher Coale Safety Valves.</p> <p>Oil Fired.</p>	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE									WEIGHT OF TENDER									TOTAL WEIGHT OF ENGINE AND TENDER									DATE
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
57	7	0	9	12	0							66	19	0				45	7	0				112	6	0										11/65	

549

No. 549	CLASS J	DATE BUILT 1954.	BUILDER Vulcan Foundry Ltd England.	COST 24-9-79	ENGINE COMMENCED RUNNING 8.10.1954	CYLINDERS			TRACTIVE POWER		
						POSITION	DIAMETER	STROKE	DATE	LBS.	DATE
						Outside	20 3/8	26	10/54	28650 29400	10/54

See 79-3061 RD 79-6441
Builders Reg 1953 No 6095

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

<i>Sold to Northampton & Kesteven Railway Preservation Society</i>																							
WHEELS			JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS					
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
50' 8 1/2"	4' 7 1/2"	8	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	4100	1500	CC 209		10/54		
			64		7 1/2'		7 1/2'		7 1/2'		7 1/2'				45' 9"								

NOTES	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE									WEIGHT OF TENDER									TOTAL WEIGHT OF ENGINE AND TENDER									DATE																																			
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y																																									
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.																																				
<p>Fitted With:- M.L.S. Type Superheater Header Smoke Deflectors Lubricators: Nathan 6 Feed. & No.0. Detroit. Heelson Grate Air operated Ash Pan Door. Ajax Firedoor. Electric Light. Pyle turbo Generator. Plain Bearings Staff Exchanger SCOA-P. Spoke wheels. Plate Frame & Plate type cowcatcher Coale Safety Valves.</p>																																				57	7	0	9	2	0							66	19	0				45	7	0				112	6	0										6/66

550

No.	CLASS	DATE BUILT	BUILDER	COST	ENGINE COMMENCED RUNNING	CYLINDERS			TRACTIVE POWER		
						POSITION	DIAMETER	STROKE	DATE	LBS.	DATE
550	J	1954	Vulcan Foundry Ltd England		13. 10. 54	Outside	20"	26"	10/54	28650 29460	10/54

CONDAMNED

Builders Rec 1953 No 6146

OFF REG. 7-1-74

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

Sold to Shree of Marboo MthH Dec 78/2052 Delivered 27-6-74

WHEELS			JOURNALS												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS			
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
50'8 1/4"	4'7 3/8"	8	6'6"		7 1/2"		7 1/2"		7 1/2"		7 1/2"				4 1/2"	9"	4100	1500	6C210		10/54		

NOTES

Fitted With:-
M.L.S. type Superheater Header
Smoke Deflectors
Lubricators: Nathan 6 Feed & No.0. Detroit.
Heelson Grate
Air operated Ash Pan door
Ajax Firedoor
Electric Light.Pyle turbo Generator
Plain Bearings
Staff Exchanger
SCOA-P. Spoke wheels
Plate Frame & Plate type Cowcatcher
Coale Safety Valves.

Oil fired.

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE			
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW' THY			EMPTY			ROADW' THY			EMPTY			ROADW' THY						
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.
57	7	0	9	12	0.							66	19	0.				45	7	0				112	6	0				4/65

No.

550

JCLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR
£

MATERIAL
£

DEPOT

NAME OF LEADING
HAND ERECTOR

REGISTERED
No.

"C" FORM
No. YEAR

10/54 TO 5.12.60

102,486.

5.12.60 30.3.61

Boiler enamel
& Retube.

Great North

61-4667

TO -

12.7.62 10.8.62

Boiler repairs

Brad. South.

62-8740

TO

17-10-62 20-11-62

Bulge in boiler

" "

62/12428

TO

18-10-63 19-12-63

ABCE repairs

Newport

64-559

TO

16-2-65 26-2-65

int. steam pipe

Bensington

65-2773

TO

30-3-61 TO 13-1-66

73,749

13-1-66 6-4-66

Boiler repairs

Bensington

66-5143

TO

6.4.67 22.5.67

Repaired H. new train gear

Newport

67-4329

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

551

No.	CLASS	DATE BUILT	BUILDER	COST	ENGINE COMMENCED RUNNING	CYLINDERS			TRACTIVE POWER		
						POSITION	DIAMETER	STROKE	DATE	LBS.	DATE
551	J	1954	Vulcan Foundry Ltd England BUILDERS REG 1953 No 6147	CONDAMNED BROKEN UP 13 2 20	18.10.54	Outside	20 1/2"	26"	10/54	28650 29460	10/54

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS										JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE			
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length										
50 1/2"	4'-7 1/2"	8	6 1/2"		7 1/2"		7 1/2"		7 1/2"		7 1/2"				15'	9'	400	1500.	CC211		10/54					

NOTES	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE			
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.
Fitted with:- M.L.S. type superheater header Smoke deflectors Lubricators: Nathan 6 Feed & No. 0. Detroit Heelson grate Air operated ash pan door Ajax fire door Electric light. Pyle turbo generator Plain bearings Staff exchanger SCOA-P. Spoke wheels Plate frame & plate type cowcatcher Coale safety valves. <i>Oil fired</i>	57	7	0	9	12	0							66	19	0				115	7	0				112	6	0				11/54

No.

551

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR
£

MATERIAL
£

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

18-10-54 TO 22-4-60

95,444

22-4-60

12-7-60

Mod. A-F exam.
Baby exam. & Relube

Bandigo North.

60-8189

TO

30-11-64

10-12-64

ABCD exam.
Locomotive repair

12-7-60 TO 18-10-65

81,885

18-10-65

21-12-65

Relube
ABCD exam.

✓ ✓

65-160

TO

TO

21-12-65 TO 13-2-70

42,442

BRUKEN UP. 13 (2) 70

Relube

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TOTAL

219,771

552

No. 552	CLASS J	DATE BUILT 1952	BUILDER Tulcan Foundry Ltd England BUILDERS REG 1953 No 6148	COST	ENGINE COMMENCED RUNNING 20.10.54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20 20%	STROKE 26	DATE 10/54 6/62	LBS. 28680 29460

CONDEMNED

BROKEN UP

20 2 70 Newport

R570-1804

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS												JOURNALS												TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
WHEEL BASE			DIAM. OF DRIVING			No. COUPLED			BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL OIL (Tons/Day)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE	
50' 8 3/4"			4' 7 3/16"			8			66"		7 1/2"		7 1/2"		7 1/2"		7 1/2"		.		4 1/2" 9"		4100.	1500.	CC 212		10/54			

NOTES

Fitted with:-
M.L.S. type superheater header
Smoke deflectors
Lubricators: Nathan 6 Feed & No. 0. Detroit
Heelson grate
Air operated ash pan door
Ajax fire door
Electric light. Pyle turbo generator
Plain bearings
Staff exchanger
SCOA-P. Spoke wheels
Plate frame & plate type cowcatcher
Coale safety valves.

Oil fired

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE			
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.
57	7	0	9	12	0							66	19	0				48	7	0				112	6	0				3/6/55

No.

552

JCLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

20-10-54 TO 22-1-62.

118,917

22-1-62

27-6-62

A-E exam.
Bl wash & re-lube.
Repair of spring
& brake gear

Ballarat North.

62-7052

TO

20-10-64

18-11-64

Newport

64-11689

TO

18-5-65

2-6-65

A B C D exam
Begin normal
sham file

Bendigo North

65-6195

TO

16-6-65

25-6-65

65-6519

27-6-62 TO 20-2-70

60,939

BROKEN UP 20.2 TO 1/11

TO

TOTAL 179,856

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

553

No. 553	CLASS J	DATE BUILT 1954.	BUILDER Tulcan Foundry Ltd England. BUILDERS REG 1953 No 6149	COST CONDEMNED	ENGINE COMMENCED RUNNING 22.10.54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20"	STROKE 26"	DATE 10/54	LBS. 28,600. 29,460

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.														WATER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
BROKEN UP 14 2 68 at Bop Wk 15 68 11377														WATER (Galls.)	COAL OIL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE
														4100	1500	CC213.		10/54		

WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length
50'8 1/2	4-7 1/2	8.	6 3/8		7 1/2		7 1/2		7 1/2		7 1/2				4 1/2	9'

NOTES

Fitted with:-
M.L.S. type superheater header
Smoke deflectors
Lubricators: Nathan 6 Feed & No. 0. Detroit
Heelson grate
Air operated ash pan door
Ajax fire door
Electric light. Pyle turbo generator
Plain bearings
Staff exchanger
SCOA-P. Spoke wheels
Plate frame & plate type cowcatcher
Coale safety valves.

Oil fired

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE			
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y						
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.
57	7	0	9	12	0							66	19	0				45	7	0				112	6	0				10/54
54	0	0	9	7	0							63	7	0																9/63
57	7	0	9	7	0							66	14	0				45	7	0				112	1	0				12/64

No. 553.

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR

MATERIAL

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

TO -
TO 18-12-63
TO
TO
18-12-63 TO 14-2-68

120389

15-12-54 11-2-55
3-10-63 18-12-63
23-11-64 3-12-64
31-8-65 15-9-65

AB. Polan Reps
A-E Exam
Hatch Jam
ABC Exam
ABCD Exam

Bgo Nth
Hatch
Bgo Nth
✓

55-2145
63-13477
64-12252
65-9760

GRAND TOTAL

78107
198496

BROKEN UP 14 2 68 at Bendigo North (RS 68/1377)

554

No. 554	CLASS J	DATE BUILT 1954	BUILDER <i>Vulcan Foundry Ltd England. Builder's REG 1953 No 6150</i>	COST	ENGINE COMMENCED RUNNING 8. 11. 54	CYLINDERS			TRACTIVE POWER	
						POSITION <i>Outside</i>	DIAMETER 20"	STROKE 26"	DATE 11/54	LBS. 28650 29460

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

<p><i>BROKEN UP 28 2 68 at Road. go</i></p>										TENDER CAPACITY		WESTINGHOUSE PUMP		INJECTORS		
										WATER (Galls.) 4100	COAL (Tons) 1500	STEAM (Diam.) 1400	AIR (Diam.)	DATE 11/54	TYPE	DATE
WHEELS			JOURNALS													
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER	
			Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length	Diam.	Length
50' 8 3/4	4' 7 3/16	8	64'		7 1/2		7 1/2		7 1/2		7 1/2		-		4 1/2'	9'

NOTES	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE																																				
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y																																							
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.		T.	C.	Q.	T.	C.	Q.																														
<p>Fitted with:- M.L.S. type Superheater header Smoke deflectors. Lubricators: Nathan G Feed & No. 0. Detroit Heelson grate Air operated ash pan door Ajax fire door Electric light. Pyle turbo generator Plain bearings Staff exchanger SCOA-P. Spoke wheels Plate frame & plate type cowcatcher Coals safety valves</p> <p><i>Del Fred</i></p>																																	<p>57</p>	<p>7</p>	<p>0</p>	<p>9</p>	<p>12</p>	<p>0</p>								<p>66</p>	<p>19</p>	<p>0</p>							<p>45</p>	<p>7</p>	<p>0</p>				<p>112</p>	<p>6</p>	<p>0</p>	<p>2/66 11/54</p>

554

No. 554

J CLASS

1002-51

MILEAGE (Between Overhauls)			IN SHOPS FOR REPAIRS		NATURE OF REPAIRS EXECUTED	COST OF REPAIRS		WHERE REPAIRED		"C" FORM	
PERIOD	TRAIN	TOTAL	DATE IN	DATE OUT		LABOR £	MATERIAL £	DEPOT	NAME OF LEADING HAND ERECTOR	REGISTERED No.	"C" FORM No. YEAR
8-11-54 TO 8-3-61		95,315	8-3-61	27-6-61	Plv exams & rehaul. Crown L.H. cylinder boiler gas valves. ABC exam Retube boiler & pipe exam. Plt joint side plate			Ballarat North.		61-6879.	
TO			2-7-64	19-12-64				Newport		65-595.	
27-6-61 TO 27-9-65		61,482	27-9-65	7-2-66				Ballarat North		66-1815	
TO			6-5-66	9-5-66				Ballarat North		66-4196	
7-2-66 TO 28-2-68		28,289									
TO	Total	185,086									
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											
TO											

BROKEN UP. 28/2 (68 at Bendigo NH (RS 68/1828))

555

No. 555	CLASS J	DATE BUILT 1954	BUILDER Vulcan Foundry Ltd England. BUILDERS REG. NO. 6151	COST	ENGINE COMMENCED RUNNING 12. 11. 54	CYLINDERS			TRACTIVE POWER		
						POSITION Outside	DIAMETER 20" 20 1/2"	STROKE 26"	DATE 11/54 4/60	LBS. 28,650 29,460	DATE 11/54

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS										JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP		INJECTORS	
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE		
50. 8 3/4	4. 7 3/16	8	6 1/2		7 1/2		7 1/2		7 1/2		7 1/2				4 1/2	9	4100	1800	C.C. 215		11/54				

NOTES

Fitted with:-
 M.L.S. type Superheater header
 Smoke deflectors.
 Lubricators: Nathan G Feed & No. 0. Detroit
 Heelson grate
 Air operated ash pan door
 Ajax fire door
 Electric light. Pyle turbo generator
 Plain bearings
 Staff exchanger
 SCOA-P. Spoke wheels
 Plate frame & plate type cowcatcher
 Coale safety valves

Oil Lined

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE									
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y												
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
57	7	0	9	12	0							66	19	0				45	7	0				112	6	0										11/54

557

No. 557	CLASS J	DATE BUILT 1954	BUILDER <i>Kulcan Laundry Co. England. BUILDERS REG NO 10153</i>	COST	ENGINE COMMENCED RUNNING 12-11-54	CYLINDERS			TRACTIVE POWER	
						POSITION <i>Outside</i>	DIAMETER 20'	STROKE 26'	DATE 11/54	LBS. 28650 29460

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No.

WHEELS										JOURNALS										TENDER CAPACITY		WESTINGHOUSE PUMP			INJECTORS	
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE		LEADING		INTERMEDIATE		DRIVING		TRAILING		RADIAL		TENDER		WATER (Galls.)	COAL (Tons)	STEAM (Diam.)	AIR (Diam.)	DATE	TYPE	DATE			
<i>52 8 1/2</i>	<i>4. 7 3/16</i>	8	<i>6 1/4</i>		<i>7 1/2</i>		<i>7 1/2</i>		<i>7 1/2</i>		<i>7 1/2</i>				<i>4 1/2 9</i>	<i>4400</i>	<i>1500</i>	<i>CC 2 1/2</i>		11/54						

NOTES Fitted with:- M.L.S. type Superheater header Smoke deflectors. Lubricators: Nathan 6 Feed & No. 0. Detroit Heelson grate Air operated ash pan door Ajax firedoor Electric light. Pyle turbo generator Plain bearings Staff exchanger SCOA-P. Spoke wheels Plate frame & plate type cowcatcher Coale safety valves <i>Del Fred.</i>	WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE		
	COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y					
	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.
<i>57</i>	<i>7</i>	<i>0</i>	<i>9</i>	<i>12</i>	<i>0</i>										<i>66</i>	<i>19</i>	<i>0</i>				<i>45</i>	<i>7</i>	<i>0</i>				<i>17</i>	<i>6</i>	<i>0</i>	11/54

557

No. 557

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

TO 13-12-63

106,406

13-12-63 3-3-64

Mod. A-E. Assembly
re-kit

Bellair North

64-2896

TO

11-12-64 17-12-64

ABC exam
badly repairs

Dundee North

65-157

TO

30-8-65 10-9-65

ABCD exam

✓ ✓

65-9434

TO

TO

3-3-64 TO 23-4-70

65,226

BROKEN UP 23 4 70

TO

TO

TOTAL

171,632

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

558

No. 558	CLASS J	DATE BUILT 1954	BUILDER Kulcan Foundry Ltd England. BUILDERS REG 1953 No 6154	COST	ENGINE COMMENCED RUNNING 19. 11. 54	CYLINDERS			TRACTIVE POWER	
						POSITION Outside	DIAMETER 20" 20 1/16	STROKE 26"	DATE 11/54 2/63	LBS. 28,650 29,460

FOR DESCRIPTION OF BOILER, FIRE BOX, ETC., SEE BOILER CARD No. *See 65-663 Rd 65-1530*

Scrapped Bridge No 2:8-76

OFF REG. 24 APR 1975

TENDER CAPACITY		WESTINGHOUSE PUMP		INJECTORS					
WATER (Galls.) 4100	COAL (Tons) 216 1500 40	STEAM (Diam.) 218 cc	AIR (Diam.)	DATE 11/54					
WHEELS		JOURNALS							
WHEEL BASE	DIAM. OF DRIVING	No. COUPLED	BOGIE	LEADING	INTERMEDIATE	DRIVING	TRAILING	RADIAL	TENDER
50' 8 3/4	4' 7 3/16	8	Diam. Length	Diam. Length	Diam. Length	Diam. Length	Diam. Length	Diam. Length	Diam. Length
			64	7 1/2	7 1/2	7 1/2	7 1/2	.	45 9'

NOTES

Fitted with:-
 M.L.S. type Superheater header
 Smoke deflectors.
 Lubricators: Nathan 6 Feed & No. 0. Detroit.
 Heelson grate
 Air operated ash pan door
 Ajax firedoor
 Electric light. Pyle turbo generator
 Plain bearings
 Staff exchanger
 SCOA-P. Spoke wheels
 Plate frame & plate type cowcatcher
 Coale safety valves

WEIGHT ON ENGINE WHEELS									WEIGHT OF ENGINE						WEIGHT OF TENDER						TOTAL WEIGHT OF ENGINE AND TENDER						DATE						
COUPLED			FORWARD TRUCK			REAR TRUCK			EMPTY			ROADW'Y			EMPTY			ROADW'Y			EMPTY			ROADW'Y									
T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	T.	C.	Q.	
9	12	0	57	7	0	-						66	19	0				45	7	0				112	6	0							5/66 4/65 11/54

No. 558

J CLASS

1002-51

MILEAGE (Between Overhauls)

IN SHOPS FOR REPAIRS

NATURE OF REPAIRS EXECUTED

COST OF REPAIRS

WHERE REPAIRED

"C" FORM

PERIOD

TRAIN

TOTAL

DATE IN

DATE OUT

LABOR £

MATERIAL £

DEPOT

NAME OF LEADING HAND ERECTOR

REGISTERED No.

"C" FORM No. YEAR

19-11-61 TO 10-10-62

110,146

10-10-62

14-2-63

D-E Retake in frame

Ballantyne Mth.

63-2137

TO

3-6-64

10-6-64

ABC exam

Bendigo Mth.

64-8267

TO

30-4-65

24-5-65

ABCD exam

Bendigo Mth.

65-6192

14-2-63 TO 11-2-66

58,265

11-2-66

18-5-66

Biggins fuel retake

Ballantyne Mth.

66-6491

TO

26-11-69

16-12-69

Prepared for service or storage

Bendigo Mth.

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

TO

Class.		Date built	Builder		Cost	Eng. commenced running		CYLINDERS			TRACTIVE POWER																		
6 J		1860	Beyer Peacock & Co England		£3750.11.6	8.1860		Position	Diameter	Stroke	Date	Lbs.	Date																
								Inside	15"	22"		9240																	
												8580	708																
												6600	912																
BOILER		FIRE BOX			GRATE AREA	TUBES			TOTAL HEATING SURFACE.			WEIGHT OF ENGINE			WEIGHT OF TENDER			TOTAL WEIGHT of Engine and Tender											
Pressure.	Type	Diameter inside.	Length inside	Width inside	Heating Surface	Sq. feet	No.	Class of Tubes	Diam. outside	Heating Surface	Sq. feet	Empty			Roadworthy			Empty			Roadworthy								
Lbs.												T.	c.	q.	T.	c.	q.	T.	c.	q.	T.	c.	q.						
140 130 100	J	3.10 1/4	3.4	4.10 1/8	77.22	13	182	Brass	1 7/8"	937.92	1015.14	25	9	0	27	4	0	9	2	0	18	4	0	34	11	0	45	8	0
WHEELS			JOURNALS			TENDER CAPACITY		Westing-house Pump Size		<p>2/10/15 Recommended by Chng. to be scrapped.</p> <p>4/2/15 App. by Commission 8/15/22 959 Ro 15/159 03</p> <p>14.2.16 Broken up.</p>																			
Wheel Base	Diam. of Driving.	Weight on			Driving	Bogie	Tender	Water	Coal																				
		Coupled.	Forward Truck		Rear Truck	dia	dia	dia	Gals.	Tons	Steam (in)																		
33.5 1/8	5 ft	T. c. q.	T. c. q.	T. c. q.	T. c. q.	6 1/2 x 8	4 1/4 x 8	4 1/2 x 8	1220	3	6" 16 1/2"																		

MILEAGE (between overhauls)			IN SHOPS FOR REPAIRS		Nature of Repairs Executed	COST OF REPAIRS		Name of Leading Hand Erector	"C" FORM	
Period	Train	Total	Date in	Date out		Labor	Material		Registered No.	Press Copy
8.60 to 29.7.75	147,237	221,294	29.7.75	15.9.75	Thorough					
15.9.75 to 12.10.77	34,957	55,263	12.10.77	20.2.78	"					
20.2.78 to 5.4.79	50,490	61,895	5.4.79	5.5.79	General					
5.5.79 to 1.6.80	15,000	18,559	1.6.80	29.9.80	Thorough					
29.9.80 to 19.3.81	13,099	18,087	19.3.81	7.5.81	General					
7.5.81 to 16.12.81	19,868	22,050	16.12.81	21.12.81	Slight					
21.12.81 to 24.7.82	9,000	14,049	24.7.82	7.2.83	Thorough					
7.2.83 to 18.9.85	74,870	100,463	18.9.85	8.12.85	General					
8.12.85 to 16.7.91	187,102	207,689	16.7.91	7.10.91	Thorough					
7.10.91 to 4.8.93	57,183	61,567	4.8.93	18.12.93	"					
18.12.93 to 16.5.94	16,446	18,445	16.5.94	12.6.94	General					
12.6.94 to 4.10.94	9,438	10,497	4.10.94	1.11.94	"					
1.11.94 to 18.1.95	2,052	2,262	18.1.95	24.11.96	Thorough					
24.11.96 to 29.8.03	85,773	104,207	29.8.03	10.12.03	"	£215	£61	Harrison	237/03	
10.12.03 to 13.6.07	27,165	34,153	13.6.07	29.2.08	"	£222	£33	Grubb	08/1870	
29.2.08 to 29.3.12	83,548	58,961	29.3.12	10.8.12	Thorough	£227	£26	P. O'Ballaghan	12/92090	
		215								
		1009.759								

No. 6 Class J

HISTORY OF BOILER.

Date New	Date Retubed	Correspondence	Date next due for Examination	Extension, if any, and cor. authorising.	Date Tested	Testing Pressure	Correspondence	Date next due for Testing
24.11.96			24.11.01	6/07-04/11/19	24.11.96	175	As report	24.7.98
					14.9.98	175	Bandage 98/52/81A	14.5.00
	10.12.03	44 03/8492 03/9988A	10.12.06		15.3.00	175	Bandage 00/1907A	15.11.01
	29.2.08	44 710318A 08/1870A	29.8.1910	28.2.11 6/7658A 28.8.11 4/1581A 28.2.12 1/8407A	24.9.01	175	Bandage 01/7267A	24.3.03
	10.8.12	44 710318A 08/1870A	10.7.15	10.8.15 15/2100A	22.4.03	175	Bandage 02/2531A	22.10.04
	1-2.17	44 710318A 08/1870A	10.7.15	10.8.15 15/2100A	10.12.03	175	As report	10.6.05
					14.6.05	175	Bandage 02/2531A	14.12.06
					13.11.06	175	Bandage 06/11619A	13.5.08
					29.2.08	175	As report	29.8.09
					11.8.09	162 1/2	As report	11.2.1911
					1-3.11	162 1/2	As report	1-9-12
					10.8.12	125	As report	10.2.14
					9.3.14	125	As report	9.9.15

NOTES.

07/10318A 24.12.07 App. of pressure being reduced from 140 to 130 lbs & converted to water.

1-2.17 water supply to hot water tank
 Running led by McQuinn, but
 no record etc to the
 In pumping boiler book p. 26-27

— Examination 19.2.16