VICTORIAN RAILWAYS,

MELBOURNE, & RIVER MURRAY RAILWAY.

CONTRACT Nº 17.
DRAWING Nº 35.

28

VIADUCT OVER CREEK
AT
18. 74. 00.

SCALE of FEET.



ELEVATION.

Witness
R. Blank.

Cornish & Bruce
14th October 1858.
Wm. C. Gaylard

VICTORIAN RAILWAYS
PLAN ROOM
OCT 26 1926

26

58/59

MELBOURNE & RIVER MURRAY RAILWAY.

CROSS SECTION OF TUNNEL

CONTRACT Nº 17.
SECTION Nº



Schedule G.

Quantities in one Yard forward	yds	lbs
Brickwork in Cement to Arch	4. 4	0 yds
Dº Dº Side Walls	4. 7	"
Excavation	64. 0	" "

NOTE. The internal dimensions will be adhered to, but the external dimensions may be increased or decreased, accordingly as the Walls or Arch may be increased, decreased or omitted.

RECORD COPY
(PLAN ROOM)

Scale

Railway Department, Victoria Novr 5th 1859
C Mason 11th

VICTORIAN RAILWAYS
7 MAY 1971
9/1897

58/59

MELBOURNE & RIVER MURRAY RAILWAY.

CROSS SECTION OF TUNNEL

CONTRACT Nº 17.
SECTION Nº



389.7 Long

Schedule G.

Quantities in one Lineal foot forward.		
Brickwork in Cement to Arch	4.4	c. yds
Dº Dº Side Walls	4.7	"
Excavation	64.0	"

NOTE. The internal dimensions will be adhered to, but the external dimensions may be increased or decreased, accordingly as the Walls or Arch may be increased, decreased, or omitted.

RECORD COPY
(PLAN ROOM)

Scale
0 5 10 15 20 25 30 Feet

Railway Department Victoria Nov.r 5th 1859
C.Moore. lith.

VICTORIAN RAILWAYS
7 MAY 87
2/1879/87

VICTORIAN RAILWAYS.

DETAILS OF TUNNELS.

Scale 1/4 inch to a foot



SCHEDULE B.



SCHEDULE C



SCHEDULE D.



SCHEDULE E.

PLAN ROOM



Isometrical Section shewing method of bonding brickwork in side walls

SCALE. ONE INCH TO A FOOT



SCHEDULE A.



SCHEDULE F.



SCHEDULE G.



SCHEDULE H

VICTORIAN RAILWAYS
PLAN ROOM
OCT 26 1928

TUNNEL SECTIONS.

VICTORIAN RAILWAYS,

MELBOURNE & RIVER MURRAY RAILWAY.

CONTRACT, Nº 17.
DRAWING, Nº



SCHEDULE . G.



SCHEDULE H.

Scale 4 feet to an inch

RECORD COPY
(PLAN ROOM)

TUNNEL SECTIONS.

VICTORIAN RAILWAYS.

MELBOURNE & RIVER MURRAY RAILWAY.

CONTRACT, Nº 17.
DRAWING, Nº



SCHEDULE . G.



SCHEDULE. H.

Scale 4 feet to an inch

VICTORIAN RAILWAYS
RECEIVED COPY
(Plan No.)

65/59

Centre of Gully

B.M. XXVIII. 1199.67 on gum tree 1 Chain Right of Line at 15m. 38c. 20L

B.M. XIX. 1503.87 on Stringybark tree on Summit of Big Hill

Shaft

B.M. XXX. 1477.05 On Stringybark tree 66 Links Left of Line at 16m. 24c. 30L

B I G H I L L

M&R.M. RAILWAY

SECTION No 12

BIG HILL TUNNEL

Cutting No. 186.

Base 331ft. – Slopes 1½ to 1

T U N N E L

Cutting No. 186a.

Base 331ft. – Slopes 1½ to 1

Centre of Gully

Mr Robsons Levelling Book 336 Page 1

1 IN 50.3

Constant 1.3116 ft per ch.

1 IN 105.9

Constant .6228 ft per ch.

1 IN 56

Constant 1.1785 ft per ch.

Ch. of Gradient 112.16

Ch. of Gradient 131.66

98m 58c. 69L through mileage

Datum Line 1000 ft above L.W.M. Hobsons Bay

15M 68C. 7 16M. 10 20 30 40 16M. 42C.

Rise 102.63L

Rise 21.64L

90m 32c. 69L through mileage

Railway Department Victoria, Nov.r 22nd. 1859 J. Moors Delt.

VICTORIAN RAILWAYS
8 Dec 87
RECORD COPY
(PLAN ROOM)

BIG HILL TUNNEL

— BIG-HILL-TUNNEL —
— FRONT —
VICTORIAN RAILWAYS,
MELBOURNE & RIVER MURRAY RAILWAY.
CONTRACT, No 17
DRAWING, No
— ELEVATION —
— SECTIONAL-ELEVATION-OF-WING-WALLS —
— DEVELOPED —
— GENERAL-PLAN —
— OVER-PARAPET —
— UNDER-FRIEZE —
— SCALE-FOUR-FEET-TO-THE-INCH —
— OVER-FOOTINGS —
— SECTIONS-OF-DRAIN —
— AT-M.N —
— AT-N.O —
— SECTIONS-OF-WING-WALLS —
— AT-A-B —
— AT-G-H —
— AT-E-F —
— AT-C-D —
— AT-I-J —
— SECTION —
Block in course margin drafted and rock faced
Cut stone
Parapet
Concrete
Gradient 1 in 50.3
CORD COPY
LAN ROOM)
BIG HILL TUNNEL

M. AND S. RAILWAY

LONGITUDINAL SECTION OF BIG HILL TUNNEL SHEWING EACH LENGTH OF BRICKWORK AND THE NUMBER OF 4½ IN RINGS IN WALLS & ARCH



VICTORIAN RAILWAYS
RECORD COPY
(PLAN ROOM)



Note:- Outline shown is to tooled edge of masonry. Rough face of masonry projects ¼" inside this outline. Brickwork in tunnel proper is set back 1¾" on outside of this outline.

Alignment curve to R 60 chains radius.

"DOWN" TRACK

"UP" TRACK

CLEARANCE DIAGRAM "UP" END OF TUNNEL

P1940†

V.R.

— SUNSHINE - BENDIGO —

Elphinstone Tunnel 71M50C00L

"UP" End Clearance Diagram

Chief Civil Engineer.

Drawn	Traced	Checked	Corres.	Eng. Struct'l Des.	D·30·94	PLAN No
M.F.C.	V.M.					804/49

70/59

M. & R. M. RAILWAY.

SECTION N° ~~10~~ 9

ELPHINSTONE TUNNEL



RECORD COPY
(PLAN ROOM)

Railway Department. Victoria. Dec.r 9th 1889
J.D.Pitt.

VR

ELPHINSTONE TUNNEL

Scale, 40 feet to 1 inch

Chief Engineer of Way & Works
27-2-30

Engineer
2-2-30





Section of Tunnel

Scale 4ft to 1in

Engineer of Maintenance
2-2-30

3422-21

354-1

354-1

PLAN OVER ALL

PLAN AT FOOTINGS

ELEVATION

LONGITUDINAL SECTION

Concrete

Scale

70/59

M. & R. M. RAILWAY.

SECTION Nº ~~10.~~ 9

ELPHINSTONE TUNNEL



SCALES
HORIZONTAL
20 Chains
VERTICAL
200 Feet

Railway Department Victoria. Dec. 9th 1859
J.J. Lich.

RECORD COPY
(PLAN ROOM)

V.R.

GOLDEN SQUARE SUBWAY.

Plan showing Alterations.

SCALES 3/8", 1", 1½", & 3" = 1'0" & FULL SIZE



SECTION A.A.
3/8 12 = 1 ft

NOTE. The 2" holes for Dowels are to be jumped in brickwork before the roof is removed. Pieces of the roof plates may be cut away to do this.



LOCALITY PLAN
Scale 40 ft. 1"
Rail level 100·00
Outlet from Cess Pit 90·00





DETAILS OF CESSPIT
1½ 10 = 1 ft



PLAN
3/8 12 = 1 ft

INSIDE ELEVATION OF DOWN GRAVEL BEAM
1 in = 1 ft

INSIDE ELEVATION OF UP GRAVEL BEAM

C.I. RIBBED PLATES. 13 required.
3/8 1 ft



FULL SIZE DETAILS OF FERRO-CONCRETE BEAM



4 BOLTS THUS

TRACE FOR 20 C
EXD. TM A 20 C

VICTORIAN RAILWAYS

SANDHURST LINE

SUBWAY AT GOLDEN SQUARE STATION

CONTRACT Nº 4478
Nº



THE DEPTH OF THE FOUNDATIONS MAY VARY AS THE SUPT. OFFICER MAY DIRECT

SECTION AT A. B.
SCALE ¾" = 1'.0"



SECTION AT E. F.
SCALE ¾" = 1'.0"



LOCALITY PLAN
SCALE 40 FT = 1 INCH



PLAN
SCALE ⅛" = 1 FOOT



SECTION AT C.D.
SCALE ⅜" 1'.0"





SECTION AT G. H. THRO' CESSPITS
SCALE ¾" = 1'.0"



SECTION AT K.L
FULL SIZE



SECTION AT I. J.
FULL SIZE



DETAIL OF FENCING
SCALE 2" = 1'.0"



FULL SIZE DETAIL OF BLOCKS

RAILWAY DEPARTMENT MELBOURNE JUNE 1890

Contract No 17
Drawing No 107



RIVER COLIBAN VIADUCT.

Contract No 17
Section No 7
Drawing No 106

Schedule of Prices

Description of work	Rate
Excavation	
Masonry in pilling in large blocks	
Packing & Ashlar Facing in courses to the curves	
Work in cement with picked Quarry faces	
Work in cement with picked Quarry faces in Domes of Arches	
Solid Ashlar in Cement Work in the Spandrils	
Ashlar in cement with picked quarry faces and Joints	
Ashlar in cement with picked quarry faces and Joints in mullions	
Steel from the rough Plate	
Cast Iron Girders	
Asphaltic Cement in Abutments	
Work in Centres & Falsework as the Contractor may have need for the Upper Arches	

The Drawing designed in the 3rd Assignment as executed and the above prices are Tenders submitted

Commissioners
Geo. Page
Engineer
Melbourne Metropolitan Board of Works
4th Oct 1890



VICTORIA RAILWAYS
PLAN ROOM
NOV 26 2020

V. R.

Melbourne to Bendigo Line

BRIDGE OVER JACKSONS CREEK AT SUNBURY.

Details of New Piers etc.



Elevation of Pier No 2.
1/8" = 1'-0"



Elevation of Piers 1 & 3
1/8" = 1'-0"

Section D-D
1/8" = 1'-0"



Section C-C.
1/8" = 1'-0"



Elevation
20 ft = 1 in



Section A-A



Section B-B.
1/8" = 1'-0"



Part Section of Pier
1/4" = 1'-0"



Details of Cap of Piers
1/4" = 1'-0"



Existing Piers
1/8" = 1'-0"



V. R.

Melbourne to Bendigo Line

BRIDGE OVER JACKSON'S CREEK AT SUNBURY

Details of New Piers etc.



Elevation of Pier No 2.

8'-1'-0"



Elevation of Piers 1 & 3



Elevation

20 ft = 1 in

Section A-A



Section B-B.

1" = 1'-0"

Details of Cap of Piers

1" = 1'-0"





Section D-D

1" = 1'-0"



Section C-C.

1" = 1'-0"



Part Section of Pier

1" = 1'-0"

Existing Piers

1" = 1'-0"

BRIDGE OVER JACKSONS Ck SUNBURY

Details of New Piers etc

970-17

3B
17

23655
K 24 3

V.R.

BENDIGO LINE

BRIDGE AT 24M. 50C. 39L (JACKSON'S CREEK)

Temporary Structure for rolling in extra Girders.



Plan
1/8"=1'0"



Detail at Y
1"=1'0"



Section A-A.
1/4"=1'0"



Diagram of Arrangement of New Girders
Scale 1/16"=1'0"



Section B-B.
1/4"=1'0"



Detail at X-X.
1"=1'0"



Section D-D
1/4"=1'0"



Elevation
1/4"=1'0"



Section C-C
1/4"=1'0"



Detail of Joints in Beams
1"=1'0"

Note
All bolts to be ¾" dia.
Washers 3x3x⅜ unless otherwise shown
All Timber to be Hardwood

VICTORIAN RAILWAYS.

MELBOURNE & RIVER MURRAY RAILWAY.

CONTRACT. No

DRAWING. No

TARADALE VIADUCT

Details of Parapet





RECORD COPY
(PLAN ROOM)

VICTORIAN RAILWAYS
Date 27 May 69

TH ALP VIADUCT

...ctorian R...LWAYS.
MELBOURNE & RIVER MURRAY RAILWAY.

...NTRACT, N
DRAWING, No 6



LONGITUDINAL SECTION OF SOUTH ABUTMENT
THRO' CENTRE LINE OF RAILWAY

LONGITUDINAL SECTION OF NORTH ABUTMENT
THRO' CENTRE LINE OF RAILWAY

Stonework designed by William E. Boyce C.E. — Lewis De Gruchy Del.

SCALE — FOUR FEET TO ONE INCH


PLAN over PLANKING
PLAN over CROSS GIRDERS
PLAN over MAIN GIRDERS
PART LONGITUDINAL SECTION
Scale 80'-1"
ELEVATION of ABUTMENT
Scale 20'-1"
PART ELEVATION of GIRDER
Scale 12"-1'0"
PIERS Nos 1, 2 & 4
Scale 4'-1"
LONGITUDINAL ELEVATION
Scale 1"-20'0"
CROSS SECTION at ABUTMENTS
Scale 4'-1"
CROSS SECTION at CENTRE of GIRDERS
V.R.
BENDIGO LINE
TARADALE VIADUCT
NOTE:- THIS DRAWING COMPILED FROM ACTUAL MEASUREMENTS. FOR DETAILS OF SUBSTRUCTURE, SEE ORIGINAL PLANS IN PLAN ROOM


PLAN over PLANKING
PLAN over CROSS GIRDERS
PLAN over MAIN GIRDERS
PART LONGITUDINAL SECTION
Scale 80'-1"
ELEVATION of ABUTMENT
Scale 20'-1"
PART ELEVATION of GIRDER
Scale 12"-1'0"
PIERS Nos 1, 2 & 4
Scale 4'-1"
LONGITUDINAL ELEVATION
Scale 1"-20'0"
CROSS SECTION at ABUTMENTS
Scale 4'-1"
CROSS SECTION at CENTRE of GIRDERS
V.R.
BENDIGO LINE
TARADALE VIADUCT
NOTE:- THIS DRAWING COMPILED FROM ACTUAL MEASUREMENTS. FOR DETAILS OF SUBSTRUCTURE, SEE ORIGINAL PLANS IN PLAN ROOM

TARADALE VIADUCT.



From top of Impost to level of Top of Rails is 12ft. 4in.
From top of Impost to underside of Girder is 5 Inches
From underside of Girder to top of Rails is 11ft. 11in.
The Girders vary in depth as marked on above Sketch
The tops of the Imposts are 2ft. 4in. below formation level.

RECORD COPY
LAN Room)

TARADALE VIADUCT

Plan

FOR BUILDING FOUNDATIONS

VICTORIAN RAILWAYS.

MELBOURNE & RIVER MURRAY RAILWAY.

CONTRACT. Nº

DRAWING. Nº





GROUND PLAN

SCALE — EIGHT FEET TO ONE INCH.



VICTORIAN RAILWAYS.

MELBOURNE & RIVER MURRAY RAILWAY.

CONTRACT. No 8

DRAWING. No

TARADALE VIADUCT.

Details of Imposts of Piers.



END ELEVATION OF HEAD OF PIER



PLAN OF COURSE A.B.

THE DOTTED LINES SHEW THE UNDER COURSE.





SIDE ELEVATION OF HEAD OF PIER



PLAN OF COURSE Y.Y.

THE DOTTED LINES SHEW THE UNDER COURSE.





PLAN OF UPPER PART OF IMPOST P.P.

THE DOTTED LINES SHEW THE UNDER COURSE

THE DOME S ARE THE PANELLED SLATE NINE INCHES LONG AND THREE INCHES SQUARE.)



PLAN OF UNDER PART OF IMPOST. R.R.

THE DOTTED LINES SHEW THE UNDER COURSE.

(THE CRAMPS ARE TO BE OF THE SAME AS DESCRIBED FOR THE BOND-COURSE A.B. C.D. E.F.)

4 3 2 1 0 5 10 15 20 25 FEET

Scale 2 Feet = 1 Inch

VICTORIAN RAILWAYS.

MELBOURNE & RIVER MURRAY RAILWAY.

CONTRACT, No

DRAWING, No

TARADALE VIADUCT.

DETAIL OF PIER No 4.

PLAN OF BOND COURSE AB



PLAN OF BOND COURSE GH



PLAN OF BOND COURSE MN



PLAN OF BOND COURSE OP

PLAN OF BOND COURSE CD



PLAN OF BOND COURSE EF



PLAN OF BOND COURSE QR



SECTION.



PLAN OF COURSE OF CUTWATER UW

THE DOTTED LINES SHEW THE UPPER COURSE.



TRANSVERSE SECTION OF PIER No 4.



PLAN OF TOP COURSE OF CUTWATER S.T.

The dotted lines shew the undercourse.



SIDE ELEVATION OF PIER

Bondcourses A B, C D, E F are shewn on the Drawing No 1 of this series and the remainder of the courses will be found as indicated thereon.

W. H.

29/9/97

TARADALE VIADUCT

MELBOURNE & RIVER MURRAY RAILWAY

CONTRACT
DRAWING No 6
Section No 8



PART OF TRANSVERSE ELEVATION

PART OF TRANSVERSE SECTION

Stonework designed by William D. Bryson C.E.

Lewis & Gould lith.

SCALE FOUR FEET TO ONE INCH



CONTRACT No 45485

IW. 889



—ELEVATION OF BRIDGE—
1" = 20'

NOTE. DEPTH & SIZE OF FOUNDATIONS TO BE DECIDED ON GROUND
SEE B.P. NO. 357/32.







—DETAIL CAP A—
Scale 1"=1'0"



—PLAN CAP A—
Scale 1"=1'0"

—DETAIL AT P—
Scale 1"=1'0"



—DETAIL CAP A—
Scale 1"=1'0"

—DETAIL AT C—
Scale 1"=1'0"

JOINT IN R.S.J
Minimum length of R.S.J. 30'0"
Positions of joints to be determined.





NOTE. JOISTS MINIMUM LENGTH 30' TO BE DELIVERED IN PAIRS WITH 3"x3"x⅜" ANGLE BRACING ETC. RIVETED IN POSITION.



—DETAIL AT B—
Scale 1"=1'0"

—NOTE— ALL RIVETS ⅞" DIA.



—ELEVATION—
Scale 1"=1'0"

—PLAN—

—DETAIL OF BASE—
Scale 1"=1'0"

—ELEVATION OF PIER—
Scale ⅛"=1'0"

NOTE. FIELD RIVETS SHOWN THUS ⊕
SHOP " " " +



—DETAIL AT F—
Scale 1"=1'0"



—ELEVATION OF PIER RIGHT ANGLES TO BRIDGE—
Scale ⅛"=1'0"

—DETAIL AT E—
Scale 1"=1'0"



—ELEVATION—
Scale 1"=1'0"

—PLAN—

—DETAIL OF BASE—
Scale 1"=1'0"



—DETAIL FOR JACKING UP MAIN GIRDERS—
Scale 1"=1'0"

PIER NO. 1



PIER NO. 2



PIER NO. 3



PIER NO. 4



PIER NO. 5



Scale ⅛"=1'0"

NOTE. SEE B.P. NO. 357/32 FOR DETAILS OF FOOTINGS

APPROXIMATE QUANTITIES	
R.S.J 20"-65"-65 lbs	88.31 Tons
L 6"x4"x⅝"	11.47 "
L 3"x3"x⅜"	14.65 "
F"I"-3⅜"-29.82 lbs	1.26 "
R.S.J 6"x3"x12 lbs	18.32 Cwts.
TG"-6"x⅜" Cleats	3.82 Tons
TG"-6"x⅝" "	2.81 "
Total Steel	177 "
6:1 Cam Concrete	300 C.Yds.
Excavation	300 "

Note. Before packing plates between girders and top of new steel piers are inserted Main Girders are to be jacked up and Dead load deflection taken out.

—V.R.—
—MELBOURNE—BENDIGO LINE—
—TARADALE VIADUCT—
— STRENGTHENING BY PROVISION OF —
— INTERMEDIATE PIERS —

Chief Engineer of Way and Works. 7. 12. 32.

A-15-97.

Drawn by R.R Plant | Correct 6605 / 6825 / 129 | Structure Engineer

PLAN NO 286/32

26430
a 2 66



ELEVATION



SIDE ELEVATION

SCALE:- 1" = 20'

E-16-24

MELBOURNE V.R. BENDIGO LINE
TARADALE VIADUCT
Proposed New Piers
10.12.31
516. 31.

Drawn by R.Plant	Structural Engineer	Plan No